(formerly 9-331c)

IITED STATES DEPARTMENT OF THE INTERIOR

A.	Λ	9
i /	17	~

5. LEASE	DESIGNATI	ON AND	SERIAL	NO.

5. LEASE DESIGNATION AND SERIAL N	0
UTU-80571	

APPLICAT	DOINE	EAU OF LAND N	<i>M</i> ANAGEMEN	NT		UTU-8057	1
	ION FOR PE	RMIT TO DE	RILL, DEE	PEN, OR PL	UG BACK		
a TYPE OF WORK						1	NA
DRIL B TYPE OF WELL	L X	DEEPEN		PLUG BACK		7. UNIT AGREEN	NENT NAME
OIL WELL	GAS X	OTHER	SINGLE ZONE	MULTIPLE ZONE	x	8. FARM OR LEA	ASE NAME NA
2. NAME OF OPERATOR The H	louston Explo	ration Comp	anv 7	13-830-6973		9. WELL NO.	Bonanza 8B-27
ADDRESS OF OPERAT						10. FIELD OR LE	
at surface 4430 At proposed prod. Zone	Report location clearly and in 1830' F	in accordance with any SFNL 735' FEL		6E/NE -109.1	909 9 27 0	11. Sec., T., R., M AND SURVEY OF Sec 27, TS	M., OR BLK R AREA
	AND DIRECTION FROM NE	AREST TOWN OR POS	ST OFFICE*			12. COUNTY OR	PARISH 13. STATE
5 DISTANCE EPOM PER	42.6 mil	es south of V	ernal, UT	SINTEASE	17 NO OF AC	Uintah	Utah
INE , FT. (Also to nearest			.s. No. or Aore	U II CLIVE	TO THIS W		
		735'	// BASSSSS	240	00 00710//	40 R CABLE TOOLS	
16. DISTANCE FROM PRO TO NEAREST WELL, DRI OR APPLIED FOR, ON TH	LLING COMPLETED.	1,320'	19. PROPOSED (7,200	20. ROTARY O	Rotary	
21. ELEVATION (SHOW V	WHETHER DF. RT, GR, etc	5581' GL			····	1	ATE WORK WILL START August 1, 2004
				MENT PROGRAM	011411777	7 OF OCATA	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO		IG DEPTH		Y OF CEMENT	
72 1/4	1 9 5/8	136#	1 2	2000	10 5	urface	
12 1/4 7 7/8	9 5/8	36# 11.6#		r.D.	To 20		
	4 1/2 Operator requ	11.6# uests permiss	ion to drill		To 20	000'	
	4 1/2 Operator requested the second s	11.6# uests permiss e attached 10	ion to drill Point and	the subject we	To 20	000'	
	4 1/2 Operator requested the second s	11.6# uests permiss e attached 10 additional in	ion to drill Point and	the subject wel	To 20	000'	
···	4 1/2 Operator require Please see the If you require William Ryan	11.6# uests permiss e attached 10 additional in	ion to drill Point and	the subject wel	To 20	000'	
···	Operator require	11.6# uests permiss e attached 10 additional in	ion to drill Point and	the subject wel	To 20	000'	
	Operator require Please see the If you require William Ryan 350 S., 800E.	11.6# uests permiss e attached 10 additional in	ion to drill Point and	the subject wel	To 20	000'	
7 7/8 TO ABOVE SPACE DESC	Operator requested by the season of the seas	11.6# uests permiss e attached 10 additional in	ion to drill Point and formation	the subject wel 13 Point Surface blease contact:	To 20	DOO'	

*See Instructions on Reverse Side

TITLE

APPROVAL DATE

Title 18 U. S. C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

PERMIT NO.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY

RECEIVED

DATE


AUG 3 1 2004

T9S, R24E, S.L.B.&M.

THE HOUSTON EXPLORATION COMPANY

Well location, BONANZA #8B-27, located as shown in the SE 1/4 NE 1/4 of Section 27, T9S, R24E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION



BENCH MARK (47EAM) LOCATED IN THE NW 1/4 OF SECTION 27, T9S, R24E, S.L.B.&M. TAKEN FROM THE BONANZA QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5534 FEET.

CERTIFICATE

SCALE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY WE OR DINORR MY SUPERVISION AND THAT THE SAME ARRESTRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLET

REGISTERED LAND STATE OF MAN AND MAN A

UINTAH ENGINEERING & LAND SURVEYING

85 SOUTH 200 EAST - VERNAL, UTAH 84078

(435) 789-1017

		·/		
SCALE 1" = 1	000'		DATE SURVEYED: 04-23-04	DATE DRAWN: 04-25-04
J.W.	C.H.	D.R.B.	REFERENCES G.L.O. PLA	AT
WEATHER WA	\RM	FILE THE	HOUSTON EXPLO	RATION COMPANY

SELF-CERTIFICATION STATEMENT

The following self-certification statement is provided per Federal requirements dated June 15, 1988.

Please be advised that The Houston Exploration Company are considered to be the operator of the following well.

Bonanza 8B-27 SENE Sec. 27, T9S, R24E Lease UTU-80571 Uintah County, Utah

The Houston Exploration Company is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond 104155044 provides state wide bond coverage on all Federal lands.

William A. Ryan

Agent

Rocky Mountain Consulting

William a Kyron

350 S. 800 E.

Vernal UT 84078

435-789-0968 Office

435-828-0968 Cell

435-789-0970 Fax

rmcwar@hotmail.com

Ten Point Plan

The Houston Exploration Company

Bonanza #8B-27

Surface Location SE 1/4 NW 1/4, Section 27, T. 9S., R. 24 E.

1. Surface Formation

Green River

2. Estimated Formation Tops and Datum:

Formation	Depth	<u>Datum</u>
Green River	Surface	+5581.0 G.L.
Uteland Butte Limestone	3,946	+1,635.0
Wasatch	4,080	+1,501.0
Mesaverda	5,747	-166.0
Buck Tounge	8,080	-2,499.0
Castlegate	8,152	-2,571.0
Mancos	8,447	-2,866.0
TD	7,200	-1,619.0

A 12 ½ hole will be drilled to 2,000' +/-. The hole depth will depend on the depth that the Birds Nest Zone is encountered. The hole will be drilled 400' beyond the top of the Birds Nest.

3. Producing Formation Depth:

Formation objective includes the Green River, Wasatch, Mesaverde and its submembers.

Off Set Well information:

Off set well: Please see attached plat for location of Dry Hole

4. Proposed Casing:

Hole	Casing	Grade	Setting	Casing	
<u>Size</u>	Size	Weight/FT	<u>& Tread</u>	<u>Depth</u>	New/Used
12 1/4	9 5/8	36#	J-55/STC	2000	NEW
7 7/8	4 1/2	11.6#	M-55/LTC	T.D.	NEW

Cement Program:

The Surface Casing will be cemented to the Surface as follows:

Lead:	Casing <u>Size</u>	Cement Type	Cement Amounts	Cement <u>Yield</u>	Cement Weight
Leau.	9 5/8	Primium Lite II .05#/sk Static Free .25#/sk Cello Flake 5#/sk KOL Seal .002 gps FP-6L 10% bwoc Bentonite .5% bwoc Sodium M 3% bwow Potassium	etasilicate	3.38ft³/sk	11.0 ppg
Tail:		57 0 5 W 5 W 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0.201.00		
	9 5/8	Class "G" 2% bwoc Calcium Cl .25#/sk Cello Flake	329 sks. +/- hloride	1.2ft³/sk	15.6 ppg
Top Jo	ob:				
	9 5/8	4% Chloride .25#/sk Flocale	200 sks. +/-	1.10 ft³/sk	4.8 ppg

Production casing will be cemented to 2,500' or higher as follows:

	Casing	Cement	Cement	Cement	Cement
	<u>Size</u>	<u>Type</u>	<u>Amounts</u>	<u>Yield</u>	Weight
Lead:					
	4 1/2	Primium Lite II .25#/sk Cello Flake .05#/sk Static Free 5#/sk Kol Seal 3% bwow Potassium .055 gps FP-6L 10% bwoc Bentonite .5 bwow Sodium Met		3.38 ft³/sk	11.0 ppg
Toil.					

Tail:

4 1/2 Class "G" 400 sks +/- 1.56 ft³/sk 14.3 ppg
.05% bwoc Static Free
2 bwow Sodium Chloride
.1% bwoc R-3
2% bwoc Bentonite

5. BOP and Pressure Containment Data:

The anticipated bottom hole pressure will be less than 3000 psi.

A 3000-psi WP BOP system as described in the BOP and Pressure Containment Data (attached) will be installed and maintained from the 8 5/8" surface casing. The BOP system including the casing will be pressure tested to minimum standards set forth in "On Shore Order #2". The BOP will be mechanically checked daily during the drilling operation.

6. Mud Program:

Interval	Mud weight lbs./gal.	Viscosity Sec./OT.	Fluid Loss MI/30 Mins.	Mud Type
0-2000	Air/Clear Water	30	No Control	Water/Gel
2000-T.D.	8.4-8.6 (12.0)		8-10	Water/Gel

7. Auxiliary Equipment

Upper Kelly cock, full opening stabbing valve, 2 ½" choke manifold and pit level indicator.

8. Testing, Coring, Sampling and Logging:

a) Test:

None are anticipated.

b) Coring:

There is the possibility of sidewall coring.

c) Sampling:

Every 10' from 2000' to T.D.

d) Logging:

Type

Interval

DLL/SFL W/GR and SP

T.D. to Surf. Csg

FDC/CNL W/GR and CAL

T.D. to Surf. Csg

9. Abnormalities (including sour gas):


No abnormal pressures, temperatures or other hazards are anticipated. Oil and gas shows are anticipated in the Wasatch Formation. Other wells drilled in the area have not encountered over pressured zones or H2S.

10. Drilling Schedule:


The anticipated starting date is August 1, 2004. Duration of operations is expected to be 30 days.


THE HOUSTON EXPLORATION COMPANY

TYPICAL 3,000 p.s.i. BLOWOUT PREVENTER SCHEMATIC



TYPICAL 3,000 p.s.i. CHOKE MANIFOLD SCHEMATIC





THE HOUSTON EXPLORATION COMPANY 13 POINT SURFACE USE PLAN

FOR WELL

BONANZA 8B-27

LOCATED IN SE ¼ NE ¼

SECTION 27, T.9S, R24E, S.L.B.&M.

UINTAH COUNTY, UTAH

LEASE NUMBER: UTU-80571

SURFACE OWNERSHIP: FEDERAL

1. Existing Roads:

To reach The Houston Exploration Co. well Bonanza 8B-27 in Section 27, T9S, R 24 E, Starting in Vernal, Utah.

Proceed in an easterly then southerly direction from Vernal, UT along U.S. Highway 40 approximately 3.9 miles to the junction of State Highway 45; exit right and proceed in a southerly, then southeasterly direction approximately 36.6 miles on State Highway 45 to the junction of this road and an existing road to the west; turn right and proceed in a westerly, then northwesterly direction, then southwesterly direction approximately 1.7 miles of this road and an existing road to the south; turn left and proceed in a southerly direction approximately 0.25 miles to the beginning of the proposed access to the east; follow road flags in an easterly direction approximately 0.15 miles to the proposed location.

Total distance from Vernal, Utah to the proposed well location is approximately 42.6 miles.

All existing roads to the proposed location are State of Utah, BLM maintained or County Class D roads. Please see the attached map for additional details.

2. Planned access road

The proposed access road will be approximately 0.15 miles +/- of new construction on lease. The road will

be graded once per year minimum and maintained.

A) Approximate length	792 ft
B) Right of Way width	30 Ft.
C) Running surface	18 Ft.
D) Surface material	Native soil
E) Maximum grade	5%
F) Fence crossing	None
G) Culvert	None
H) Turnouts	None
I) Major cuts and fills	None

J) Road Flagged Yes K) Access road surface ownership

Federal

L) All new construction on lease

Yes

M) Pipe line crossing

None

Please see the attached location plat for additional details.

A right of way will not be required. All surface disturbance for the road and location will be within the within the lease boundary.

3. Location of existing wells

The following wells are located within a one mile radius of the location site.

A) Producing well	None
B) Water well	None
C) Abandoned well	None
D) Temp. abandoned well	None
E) Disposal well	None
F) Drilling /Permitted well	
Bonanza 2D-27	
Bonanza 16A-27	
G) Shut in wells	None
H) Injection well	None
I) Monitoring or observation	n well
,	None

Please see the attached map for additional details.

4. Location of tank batteries, production facilities and production gathering service lines.

All production facilities are to be contained within the proposed location site. Please see the attached plat plan for a typical gas well separator installation and well site piping.

All permanent (on site for more than six months or longer) structures constructed or installed will be painted a Desert Tan color. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded. The required paint color is Juniper Green.

All tanks will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank in the battery. The integrity of the dike will be maintained.

The operator will adhere to all site security guidelines and regulation identified in 43 cfr 3126.7.

All off lease storage, off lease measurement, commingling on lease or off lease, of production, will have prior written approval form the authorized officer.

If the well is capable of economic production a surface gas line will be required.

Approximately 2112' +/- of 3" gathering line would be constructed

on Federal Lands. The line would tie into the existing line in Section 27, T9S, R24E. The line will be strung along side the existing BLM maintained road and boomed to the east side of the road.

Please see the attached location diagrams for pipe line location. There will be no additional surface disturbances required for the installation of a gathering line.

The gas meter run will be located within 500' of the well head. The gas line will be buried or anchored down from the well head to the meter. Meter runs will be housed and/or fenced.

The gas meter will be calibrated and the tank strapped in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The authorized officer will be provided with a date and time for the initial meter calibration and all future meter proving schedule. A copy of the meter calibration report will be submitted to the BLM's Vernal District office and State of Utah, Division of Oil, Gas, and Mining. All measurement facilities will conform to API (American Petroleum Institute) and AGA (American Gas Association) standards for gas an d liquid hydrocarbon measurement.

5. Location and type of water supply

Water for drilling and cementing will come from the Bonanza

Bridge, Permit #T75376.

6. Source of construction materials

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. Additional road gravel or pit lining material will be obtained from private resources.

7. Methods for handling waste disposal

A) Pit construction and liners:

The reserve pit will be approximately 12 ft. deep and most of the depth shall be below the surface of the existing ground Please see the attached plat for details.

The reserve pit will be lined unless the pit is blasted or soil conditions would warrant a pit liner.

The reserve pit will not be used to store water for drilling. A semi-closed system will be used to drill the well. All fresh water for drilling will come from a frac tank placed on location and from the rig tank. The pit will be used to hold non-flammable materials such as cuttings, salt, drilling fluids, chemicals, produced fluids, etc.

B) Produced fluids:

Produced water will be confined to the reserve pit, or in deemed necessary, a storage tank for a period not to exceed 90 days after initial production. During the 90 day period an application for approval for permanent disposal method and location will be submitted to the authorized officer.

C) Garbage:

A trash cage fabricated from expanded metal will be used to hold trash on location and will be removed to an authorized land fill location.

D) Sewage:

A portable chemical toilet will be supplied for human waste.

E) Site clean-up:

After the rig is moved off the location the well site area will be cleaned and all refuse removed.

8. Ancillary facilities

There are no ancillary facilities planned at this time and none are foreseen for the future.

9. Well-site layout

Location dimensions are as follows:

A) Pad length	330 ft.
B) Pad width	240 ft.
C) Pit depth	12 ft.
D) Pit length	147 ft.
E) Pit width	75 ft.
F) Max cut	26.0 ft.
G) Max fill	60 ft

H) Total cut yds. 12,700 cu yds

I) Pit location

east side

J) Top soil location

north end

K) Access road location

West end

L) Flare Pit

corner B

Please see the attached location diagram for additional details.

All pits will be fenced according to the following minimum standards:

- A) Thirty nine inch net wire shall be used with at least one strand of wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.
- B) The net wire shall be no more than 2 inches above the ground. The barbed wire shall be 3 inches above the net wire. Total height of the fence shall be at leas 42 inches.
- C) Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- D) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 ft.
- E) All wire shall be stretched by using a stretching device before it is attached to the corner posts.
- 10. Plans for restoration of the surface

Prior to construction of the location. the top 6 inches of soil material will be stripped off the location and the pit area. The topsoil removed and piled will amount to approximately 1,710 cubic yards of material. Topsoil will be stockpiled in one distinct pile. Placement of the topsoil is noted on the attached location plat. The topsoil pile from the location will be seeded as soon as the soil is stock piled with the seed mix listed. When all drilling and completion activities have been completed and the pit back-filled the topsoil from the pit area will be spread on the pit area. The pit area will be seeded when the soil has been spread. The unused portion of the location (the area outside the dead men) will be re-contoured.

The dirt contractor will be provided with an approved copy of the surface use plan prior to construction activities.

Changes to the drainage during the construction activities shall be restored to its original line of flow or as near as possible when the pit is back-filled

All disturbed areas will be recontoured to the approximate natural contours. Prior to back filling the pit the fences around the reserve pit will be removed.

The reserve pit will be reclaimed within 90 days of well completion. If the reserve pit has not dried sufficiently to allow back filling, an extension on the time requirement for back filling the pit will be requested. Once reclamation

activities have begun, they shall be completed within 30 days.

After the reserve pit has been reclaimed, no depressions in the soil covering the reserve pit will be allowed. The objective is to keep seasonal rain fall and run off from seeping into the soil used to cover the reserve pit. Diversion ditches and water bars will be used to divert the run off as needed.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeding, all disturbed areas will be scarified. And left with a rough surface.

A) Seeding dates:

Seed will be spread when top soil is stock piled and when reclamation work is performed.

The seed mix and quantity list will be used whether the seed is broadcast or drilled.

B) Seed Mix

Four wing salt brush 4#/acre
Shad scale 3#/acre
Needle & thread grass
Western wheat grass 2#/acre

11. Surface ownership:

Access road Federal Location Federal Pipe line Federal

12. Other information:

A) Vegetation

The vegetation coverage is Slight. The majority of the existing vegetation consists of sage brush. Rabbit brush, bitter brush, and Indian rice grass are also found on the location.

B) Dwellings:

There are no dwelling or other facilities within a one mile radius of the location.

C) Archeology:

The location has not been surveyed. A copy of that survey will be forwarded to your office.

If, during operations, any archaeological or historical sites, or any objects of antiquity (subject to the antiquities act of June 8, 1906) are discovered, all operations which would effect such sites will be suspended and the discovery reported promptly to the surface management agency.

D) Water:

The nearest water is the White River located 4 miles to the South.

E) Chemicals:

No pesticides, herbicides or

other possible hazardous chemicals will be used without prior application.

F) Notification:

- a) Location Construction At least forty eight (48) hours prior to construction of location and access roads.
- b) Location completion Prior to moving on the drilling rig.
- c) Spud notice
 At least twenty-four (24)
 hours prior to spudding
 the well.
- d) Casing string and cementing
 At least twenty-four (24) hours prior to running casing and cementing all casing strings.
- e) BOP and related equipment tests
 At least twenty-four (24) hours prior to initial pressure tests.
- f) First production notice Within five (5) business days after the new well begins, or production resumes after well has been off production for more than 90 days.

G) Flare pit:

The flare pit will be located in corner B of the reserve pit out side the pit fences and 100 feet from the bore hole on the east side of the location. All fluids will be removed from the pit within 48 hours of occurrence.

13. Lessees or Operator's representative and certification

A) Representative

William A. Ryan

Rocky Mountain Consulting

Vernal, UT 84078

Office 435-789-0968 Fax 435-789-0970 Cellular 435-828-0968

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, onshore oil and gas orders, and any applicable notices to lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

This drilling permit will be valid for a period of one year from the date of approval.

After permit termination, a new application will be filed for approval for any future operations.

B) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill-site and access route, that I am familiar with the conditions which presently exist, that the statements


Statement of use of Hazardous Materials

No chemical(s) from the EPA's consolidated list of Chemicals subject to Reporting under Title III of the Superfund Amendments and Reauthorization, Act (SARA) of 1986. Will be used, produced, transported, stored, disposed, or associated with the proposed action. No extremely hazardous substances, as defined in 40 cfr 355, will be used, produced, stored transported, disposed, or associated with the proposed action.


If you require additional information please contact.


William A Ryan Agent for The Houston Exploration Company Rocky Mountain Consulting 350 S. 800 E. Vernal UT 84078

435-789-9068 Office 435-828-968 Cell 435-789-0970 Fax



THE HOUSTON EXPLORATION COMPANY TYPICAL CROSS SECTIONS FOR 20, BONANZA #8B-27 X-Section II SECTION 27, T9S, R24E, S.L.B.&M. Scale 1830' FNL 735' FEL 1" = 50'DATE: 04-25-04 Drawn By: D.R.B. Preconstruction 60' 135' Grade Finished Grade STA. 3+30 120' 135' Slope= 1 1/2:1 LOCATION STAKE Typ.) FILL 1+50 STA. 30' 135' CUT STA. 0+18 135' CUT **FIGURE** STA. 0+00 * NOTE: FILL QUANTITY INCLUDES 5% FOR COMPACTION = 7,120 Cu. Yds. **EXCESS MATERIAL** APPROXIMATE YARDAGES Topsoil & Pit Backfill = 3,370 Cu. Yds. (1/2 Pit Vol.) CUT = 1,710 Cu. Yds. (6") Topsoil Stripping **EXCESS UNBALANCE** = 3,750 Cu. Yds. = 10,990 Cu. Yds. Remaining Location (After Rehabilitation) TOTAL CUT = *12,700* CU.YDS. UINTAH ENGINEERING & LAND SURVEYING 5,580 CU.YDS. **FILL** 85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017





THE HOUSTON EXPLORATION COMPANY

BONANZA #8B-27

LOCATED IN UINTAH COUNTY, UTAH SECTION 27, T9S, R24E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHWESTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: EASTERLY






WORKSHEET

APPLICATION FOR PERMIT TO DRILL

APD RECEIVED:	08/31/2004	API NO. ASSIGN	ED: 43-047-3592	23
WELL NAME: BC OPERATOR: HC CONTACT: BI	OUSTON EXPLORATION CO, (N2525)	PHONE NUMBER: 4	35-789-0968	
PROPOSED LOCAT	TION: 090S 240E	INSPECT LOCATN	I BY: / /	
	1830 FNL 0735 FEL 1830 FNL 0735 FEL	Tech Review	Initials	Date
UINTAH		Engineering		
WILDCAT	(1)	Geology		
LEASE TYPE: LEASE NUMBER:		Surface		
SURFACE OWNER: PROPOSED FORMA COALBED METHAN	1 - Federal TION: MNCS	LATITUDE: 40.0 LONGITUDE: -109		
(No. 10) Notash Oil Shal Water Pe (No. T7) RDCC Rev (Date:	d[1] Ind[] Sta[] Fee[] 4155044) (Y/N) e 190-5 (B) or 190-3 or 190-13 ermit 5376)	LOCATION AND SITE R649-2-3. Unit R649-3-2.	General From Qtr/Qtr & 920' Exception it E No:	Between Wells
	1- Rederat Appr 21 Spacins afre			



mary 9-331s)		ATED 8	TATES	IUEMIT IN TRIPLICATE	•				
¥			THE INTERK	OR			ASE DESIGNA U-80571	TION AND SERIAL NO.	
APPLICA"	TION FOR PE	RMIT TO D	RILL, DEEP	EN, OR PLI	JG E	BACK . F	NDIAN, ALLOT	THE OR TRIBE NAME	
TYPE OF WORK							N/		
DRI MPE OF WILL	LL X	DEEPEN		PLUG BACK		7. UN	T AGREEMEN NA		
WETT	WELL X	OTHER	SINGLE ZONE	NULTIPLE ZONE	x	a. FA	RM OR LEASE NA	NAME	
NAME OF OPERATOR	iouston Explo	retion Come	749	220 2074		è M	ELL NO.		
DOMESS OF OPERA	TOR8	· · · · · · · · · · · · · · · · · · ·		-830-6973		10. FI	ELO OR LEASI	nanza 8B-27	
	Report location clearly and								
surface 4542	259× 1830' F	'NL 735' FEL	_ SE	NE 40.60	909	, 11. &	BE, T., R., M., Ç BURVEY OR AI		
t proposed prod. Zone	H430120Y			NE-109.1	92	<i>-</i> 0	27, T96		
SETANCE IN MILES	AND DIRECTION PROMINE							BEH 18. STATE	
AND AND PERSONS	42.6 mil	es south of \	/emai, UT			Ulin Kalaba A O	tah	Utah	
	t drig. Unit line, if any)		TO THE WATER IN			O THE WELL		•	
	DECEMBER LOCATION *	735'	TR. PROPOSED DEPT	240			40		
NEAREST WELL, DRI	LLING COMPLETED.	,	THE PROPERTY OF PERSONS ASSESSED.	••	ZJ. N	OTARY DR CAS			
APPLIED FOR, ON THE ELEVATION (SHOW)	es Lease, Ft. Whether Df. Rt. GR. sto.	1,320'		7,200	ــــــــــــــــــــــــــــــــــــــ	Rot		MORK WILL START	
		5581' GL						Bust 1, 2004	
		PROPOSED CA	ABING AND CEME	NT PROGRAM	V				
12 1/4	SIZE OF CASING	WEIGHT POLICE				QUANTITY OF C			
7 7/8	4 1/2	11.6#	7.D			To Surface			
SOVE SPACE OLISC willve some. If propose out preventer program	William Ryan 350 S., 800E. Vermal, Utah 435-789-0968	NA : If erospeed in to de	etiën of biker bank, give	SOLO GW Stopponed mench	otive apr	10 while proposed a highlars, Cline	1 0 00		
SKINATURE	Willem A R	watgr	TITLE A	gent		DATE	Jur	e 16, 2004	
PERMIT NO.	43 647-	B 5923	Al	PROVAL DATE					
PROVED BY NOTIONS OF APPROV				A1 mm			~ ^		
	DAN:	7/1	TITLE BRAD	LEY G. H	ILL	'III DATE	29	-23-04	

made in this plan are, to the best of my knowledge and belief, true and correct, and that the work associated with the operation proposed herein will be preformed by The Houston Exploration Company and its contractors and subcontractors in conformity with this plan and terms and conditions with this plan and the terms and conditions under which it is approved.

Date June 16, 2004

William A. Ryan, Agent Rocky Mountain Consulting

Onsite Dates:

June 15, 2004



State of Utah

Department of Natural Resources

ROBERT L. MORGAN Executive Director

Division of Oil, Gas & Mining

LOWELL P. BRAXTON
Division Director

OLENE S. WALKER
Governor

GAYLE F. McKEACHNIE
Lieutenant Governor

September 23, 2004

Houston Exploration Company 1100 Louisiana, Suite 2000 Houston, TX 77002

Re:

Bonanza 8B-27 Well, 1830' FNL, 735' FEL, SE NE, Sec. 27, T. 9 South,

R. 24 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-35923.

Sincerely,

John R. Baza Associate Director

pab Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Houston Exploration Company		
Well Name & Number	Bonanza 8B-27		
API Number:	43-047-35923		
Lease:	UTU-80571		

Location: SE NE

Sec. 27

T. 9 South

R. 24 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

NITED STATES

DEDAD THE MITEDIOD

S A FACE DECIDINATION AND CEDIAL NO

. N 77	DEFA	ZIMENI O			3. LEAGE DEGIGIA	THORAID SERIAL IV.
07	BUF	REAU OF LAND	MANAGEMENT		UTU-80571	
APPLICAT	ON FOR PE	RMIT TO DE	RILL, DEEPEN, OR I	PLUG BACK	6. IF INDIAN, ALLO	TTEE OR TRIBE NAME
a TYPE OF WORK					N/	
DRIL	LX	DEEPEN	PLUG BAC	к 🗌	7. UNIT AGREEMEN	
	GAS X	OTHER	SINGLE MULTIPLE ZONE	x	8. FARM OR LEASE	ENAME
2. NAME OF OPERATOR					9. WELL NO.	
The H	ouston Explo	oration Comp	any 713-830-6973		В	onanza 8B-27
a. ADDRESS OF OPERATO		Houston, TX	77002 43 1A7 3	35923	10. FIELD OR LEAS	SE NAME
LOCATION OF WELL (Re	eport location clearly and	in accordance with any	State requirement)		11. Sec., T., R., M.,	OR BLK
at surface	1830'	FNL 735' FEL	SE/NE		AND SURVEY OR	AREA
At proposed prod. Zone					Sec 27, T98	S, R24E
4. DISTANCE IN MILES AF	ND DIRECTION FROM	EAREST TOWN OR POS	ST OFFICE*		12. COUNTY OR PA	ARISH 13. STATE
	42.6 m	iles south of V	ernal, UT		Uintah	Utah
		EST PROP. OR LEASE	18. NO. OF ACRES IN LEASE	17. NO. OF AC	RES ASSIGNED	
.INE , FT. (Also to nearest o	irlg. Unit line, if any)	7051	240	IO IAIS V		
6. DISTANCE FROM PRO	BOOFF LOCATIONS	735'	240	20 POTARY C	40 OR CABLE TOOLS	
16. DISTANCE FROM PRO TO NEAREST WELL, DRILI			19. PROPOSED DEFTH	20. KOTAKT C	N CABLL 100L0	
OR APPLIED FOR, ON THIS		1,320'	7,200		Rotary	
1. ELEVATION (SHOW W		5581' GL				work will start ugust 1, 2004
		PROPOSED CA	ASING AND CEMENT PROGRA	AM .		
				QUANTI	Y OF CEMENT	
SIZE OF HOLE	SIZE OF CASING	TI TI CITTOR		TA C		
SIZE OF HOLE	9 5/8	36#	2000	103	urface	
			2000 T.D.	To 20		

Operator requests permission to drill the subject well. Please see the attached 10 Point and 13 Point Surface Use Plan.

If you require additional information please contact:

William Ryan 350 S., 800E. Vernal, Utah 435-789-0968 RECEIVED JUL 0 1 2004

BLM VERNAL, UTAH

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposed in to deepen or plug back, give data on proposed productive zone and proposed new productive zone. If proposal is to drill or deepen directional, give pertinent data on subsurface location and measure and true vertical depths. Give blowout preventer program, if any

William A Ryan SIGNATURE

NOTICE OF APPROVAL

June 16, 2004

PERMIT NO

APPROVAL DATE

Assistant Field Manager

Mineral Resources

*See Instructions on Reverse Side

Title 18 U. S. C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONDITIONS OF APPROVAL AT

0445 15737

APPROVED BY CONDITIONS OF

COAs Page 1 of 7 Well No.: Bonanza 8B-27

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: The Houston Exploration Company
Well Name & Number: BONANZA 8B-27
API Number: 43-047-35923
Lease Number: <u>UTU - 80571</u>
Location: SENE Sec. 27 TWN: 09S RNG: 24E
Agreement: N/A

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Submit an electronic copy of all logs run on this well in LAS format. This submission will replace the requirement for submittal of paper logs to the BLM.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. <u>DRILLING PROGRAM</u>

1. <u>Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are</u> Expected to be Encountered

Report <u>ALL</u> water shows and water-bearing sands encountered to John Mayers of this office prior to setting the next casing string or requesting plugging orders. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a <u>3M</u> system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint. Surface casing setting depths are based on ground level elevations only.

COAs Page 3 of 7 Well No.: Bonanza 8B-27

As a minimum, the usable water and other valuable resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the surface casing shoe, identified at 2,000 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vapor proof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run from the production casing shoe to top of the cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

COAs Page 4 of 7 Well No.: Bonanza 8B-27

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig. The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shutin the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-5(d) shall be submitted to the appropriate Field Office within 60 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (1).

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

COAs Page 5 of 7 Well No.: Bonanza 8B-27

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries and tested for meter accuracy at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman

(435) 828-7874

Petroleum Engineer

Kirk Fleetwood

(435) 828-7875

Petroleum Engineer

BLM FAX Machine

(435) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids

COAs Page 7 of 7 Well No.: Bonanza 8B-27

Conditions of Approval (COA) Houston Exploration Company - Natural Gas Well Bonanza #8B-27

 At the time that the well is no longer in operation, the well shall be plugged and the location and access road shall be reclaimed. All disturbed surfaces shall be re-contoured to near natural contours. Any stockpiled top soils shall be spread over the re-contoured surfaces and reseeded with the following seed mixture:

Seed Mixture:		lbs/acre
Black sage brush	Artemesia nova	1
Shadscale	Atriplex confertifolia	3
Hop sage	Grayia spinosa	4
Galleta grass	Hilaria jamesii	4

Seed should be drilled, but if broadcasted, double the pounds per acre used and work the soils mechanically to cover the seed.

This seed mixture differs from that in the Surface Use Plan.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Co	mpany:	TH	E HOU	STON	<u>EXPLORATI</u>	ON COMPANY	
Well Name:		ВС	NANZ	A 8B-27		, 411	
Api No <u>:</u>	43-047-359	23	L	ease Ty	pe:	FEDERAL	
Section 27	Township_	09S	Range_	24E	_County	UINTAH	
Drilling Con	itractor	PETE	MART	IN	RIG#_	BUCKET	
SPUDDE	D: Date	02/05/	05				
	Time						
	How	DRY					
Drilling w	ill commen	ce:		.4**			
Reported by		BREN	T STUE	BBS			
Telephone #	<u> </u>	1-435-	<u>828-810</u>	0			, <u>.</u>
Date0	02/07/2005		_Signed		CHD		


STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

FORM 6

009

			ENT	TY ACTIO	FORM				
Operator: Address;		Houston Explo Louisiana. S			_ Ope	erator Ad	count Nu	ımber: <u>N</u>	2525
	city H	OUSTON X	zip	77002	- -	F	'hone Nu	mber: _(713) 830 <u>-68</u> 00
Well 1	ndb//		TAK THE	Line Land of the Lot o					
43-047	-35923	Bonanza 8B.	- 27		'SENE	27	98	24E	Uintah
4									
A		99999	146	576	2/5/	05		2	117/05
Commer	ite:	nncs							

Well 2		Matrice .	1 2	5 (52)			NEW YEAR	enger and english
								I I DIE
Comments:	 · .				 · · · · · ·			



Theresa Overturf

Engineering Technician

ACTION CODES;

(5/2000)

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-easign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (Explain in 'comments' section)

RECEIVED

FEB 1 / 2005

ے OF UTAH غہ DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: See Attached List
2. NAME OF OPERATOR: The Houston Exploration Company NASAS	9. API NUMBER:
3. ADDRESS OF OPERATOR: 1100 Louisiana, Ste 2000 CITY Houston STATE TX ZIP 77002 PHONE NUMBER: (713) 830-6938	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List	соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate) ACIDIZE DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Approximate date work will start: Effective 9/1/05 CHANGE TUBING PLUG AND ABANDON CHANGE TUBING PLUG AND ABANDON CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION Enduring Resources, LLC Operator #N 2750 Utah State Bond #RLB0008031 Enduring Resources, Trank Hutto 303-350-5102 ALTER CASING PRACTURE TREAT NEW CONSTRUCTION PRODUCTION PLUG AND ABANDON PLUG BACK CHANGE WELL STATUS PRODUCTION (START/RESUME) RECLAMATION OF WELL SITE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume Enduring Resources, LLC Operator #N 2750 Utah State Bond #RLB0008031 475 17th Street, Ste 1500 Denver, CO 80202 Contact: Frank Hutto 303-350-5102	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER:
NAME (PLEASE PRINT) Joanne Hresko SIGNATURE DATE 9/2/2005	eneral Manager Onshore
	- PFCENZER
This space for State use only) APPROVED 912912005	· · · · · · · · · · · · · · · · · · ·

Carlene Russell, Engineering Technician on Reverse Side)

SEP 2 6 2005

DIV. OF OIL, GAS & MINING

TRANSFER OF OPERATOR

NATURAL BUTTES FIELD, UINTAH COUNTY, UTAH DRILLED WELLS, TO BE OPERATED BY ENDURING RESOURCES, LLC

API Weil Number	Well Name	Well Status	Qtr/Qtr	Section	Township-Range	FNL/FSL	FEL/FWL	Latitude	Longitude
43047355550000	Bonanza #10D-18	SI	NWSE	18	9S-24E	1437 S	1800 E	40.03340	-109.25282
43047355510000	Bonanza #12D-12	Producing	NWSW	12	9S-23E	1556 S	867 W	40.04788	-109.28055
43047356930000	Bonanza #2D-27	Producing	NWNE	27	9S-24E	1064 N	1824 E	40.01123	-109.19600
43047359080000	Bonanza 10-11	Producing	NWSE	11	9S-23E	1991 S	1755 E	40.04866	-109.29035
43047356920000	Bonanza 10D-8	SI	NWSE	8	9S-24E	1510 S	1768 E	40.04789	-109.23383
43047355520000	Bonanza 1-11	Producing	NWNW	11	9S-23E	990 N	990 E	40.05431	-109.29891
43047359290000	Bonanza 12-20	Drlg	NWSW	20	9S-25E	1998 S	825 W	40.01947	-109.13150
43047-359210000	Bonanza 12A-18	Producing	NWSW	18	9S-24E	2067 S	813 W	40.03430	-109.26242
43047359090000	Bonanza 14-12	Evaluating	SESW	12	9S-23E	505 S	2001 W	40.04455	-109.27693
43047359940000	Bonanza 4-18	WOPL	NWNW	18	9S-24E	706 N	682 W	40.04119	-109.26288
43047-356220000	Bonanza 4D-16	Producing	NWNW	16	9S-24E	1152 N	1209 W	40.04000	-109.22349
43047358600000	Bonanza 6-36	Producing	SENW	36	9S-24E	2217 N	2009 W	39.99336	-109.16393
43047359120000	Bonanza 6B-8	Producing	SENW	8	9S-24E	2017 N	1878 W	40.05213	-109.24004
43047359200000	Bonanza 8D-7	Producing	SENE	7	9S-24E	1992 N	477 E	40.05220	-109.24845
43047359050000	Buck Canyon 15-24	P&A	SW/SE	24	12S-21E	700 S	2139 E	39.75386	-109.5134
43047348150000	Cartwright 2-35	TA	NWNE	35	9S-24E	858 N	2104 E	39.99733	-109.17882
43047332510000	East Bench 11-16	WOC	NESW	16	11S-22E	s s	1980 W	39.85889	-109.46172
43047347560000	Hoss 15	Producing	SWSE	20	9S-25E	1291 S	2088 E	40.01767	-109.12236
43047348140000	Little Joe 11-7	TA	NENE	7	9S-25E	710 N	644 E	40.05562	-109.13601
43047361500000	Rainbow 14-17	woc	SESW	17	11S-24E	780 S	1726 W	39.85689	-109.25731
43047361840000	Rainbow 2-16	WOC	NWNE	16	11S-24E	837 N	2136 E	39.86708	-109.23348
43047353630000	Southman Canyon 10D-36	Producing	NWSE	36	9S-23E	1757 S	1650 E	39.98991	-109.27148
43047353640000	Southman Canyon 12D-36	Producing	NWSW	36	9S-23E	1518 S	1069 W	39.98977	-109.28040
43047357700000	Southman Canyon 14C-36	Producing	SESW	36	9S-23E	648 S	1717 W	39.98689	-109.27716
43047357720000	Southman Canyon 16C-36	Producing	SESE	36	9S-23E	542 S	736 E	39.98607	-109.26912
43047356910000	Southman Canyon 2D-30	Producing	NWNE	30	9S-24E	1171 N	1502 E	40.01111	-109.25269
43047353650000	Southman Canyon 2D-36	Producing	NWNE	36	9S-23E	960 N	1751 E	39.99711	-109.27228
43047353610000	Southman Canyon 4D-36	Producing	NWNW	36	9S-23E	1163 N	1137 W	39.99623	-109.28012
43047353620000	Southman Canyon 6D-36	Producing	SENW	36	9S-23E	2466 N	2271 W	39.99336	-109.27635
43047357710000	Southman Canyon 8C-36	Producing	SENE	36	9S-23E	2185 N	694 E	39.99358	-109.26783
43047355590000	Thurston Federal #12-1	Producing	SESW	12	12S-21E	692 S	1959 W	39.78280	-109.51768

TRANSFER OF OPERATOF BLM APPROVED WELLS *1

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

NA (- 11 N I	0/0	Sec	Т	R	Lease Number	Footages f/ Sec Lines - SL	API Number
Well Name	Q/Q	Sec	<u> </u>				
Asphalt Wash 13-7	SW/SW	7	113	24E	UTU 73010	739' FSL & 029' FWL	43 047 36234
Bonanza 16-18	SE/SE	18	98	24E	UTU-73457	861' FSL & 715' FEL	43-047-35992
Bonanza 4-11	NW/NW	11	98	23E	UTU-74426	671' FNL & 729' FWL	43-047-35968
Bonanza 10D-12	NW/SE	12	98	23E	UTU-74426	1,785' FSL & 1,855' FEL	43-047-35919
Bonanza 12-11	NW/SW	11	98	23E	UTU-74426	1748' FSL & 420' FWL	43-047-35916
Bonanza 14-18	SE/SW	18	98	24E	UTU-73457	472' FSL & 2,010' FWL	43-047-35993
Bonanza 14A-8	SE/SW	8	98	24E	UTU-73457	907' FSL & 2,298' FWL	43-047-35952
Bonanza 16A-27	SE/SE	27	98	24E	UTU-80571	862' FSL & 581' FEL	g 43-047-35923
Bonanza 2-21	NW/NE	21	88	25E	UTU-73470	1,207' FNL & 1,541' FEL	43-047-35926
Bonanza 3-8	NW/NW	8	98	24E	UTU-73457	573' FNL & 1,518' FWL	43-047-35966
Bonanza 6D-7	SE NW	7	98	24E	UTU-73457	2,310' FNL & 2,310' FWL	43-047-35690
Bonanza 8-11	SE/NE	11	98	23E	UTU-74426	2,163 FNL & 615' FEL	43-047-35907
Bonanza 8B-27	SE/NE	27	98	24E	UTU-80571	1,830' FNL & 735' FEL	43-047-35923
Buck Camp 4-25	NW/NW	25	115	22E	UTU-74424	804 FNL & 695 FWL	43-047-36276
Buck Camp 4-26	NW/NW	26	11S	22E	UTU-74974	660' FNL & 660' FWL	43-047-36274
Buck Canyon 1-24	NE/NE	24	125	21E	UTU-73440	488' FNL & 833' FEL	★ 43-047-35606
Buck Canyon 15-24	-SW/SE	24	12S	21E	UTU-73440	700' FSL & 2,139' FEL	2 43-047-35905-
Buck Canyon 7-24	-SW/NE	24	123	21E	UTU-73440	2,041' FNL & 2,171' FEL	43-047-35904
Buck Canyon 9-24	NE/SE	24	12S	21E	UTU-73440	1784' FSL & 855' FEL	43-047-35903
Rainbow 1-17	NE/NE	17	115	24E	UTU-73920	795' FNL & 586' FEL	43-047-36151
Southman Canyon #14-30	SE/SW	30	98	24E	UTU-80571	740' FSL & 1,737' FWL	43-047-35914
Southman Canyon #4C-30	NW/NW	30	98	24E	UTU-80571	676' FNL & 568' FWL	43-047-35913
Southman Canyon 12-30	NW/SW	30	98	24E	UTU-80571	1,912' FSL & 513' FWL	43-047-36104
Southman Canyon 8-30	SE/NE	30	98	24E	UTU-80571	1,875' FNL & 818' FEL	43-047-35994
Southman Canyon 9-30	NE/SE	30	98	24E	UTU-80571	2,089' FSL & 831' FEL	43-047-36019

* 43047-35906 • 43047-35953

TRANSFER OF OPERATOR STATE OF UTAH APPROVED AND PENDING #3

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

					Lease	Footages f/ Sec Lines -			Well
Well Name	Q/Q	Sec	Т	R	Number	SL	API Number	FIELD	Туре
Asphalt Wash 11-16-11-24	NESW	16	118	24E	ML-73921	2000 FSL & 1900 FWL	43-047-37088	Undesignated	Gas
Asphalt Wash 12-16-11-24	NWSW	16	118	24E	ML-47080	2060 FSL & 839 FWL	43-047-36873	Undesignated	Gas
Asphalt Wash 14-16-11-24	SESW	16	118	24E	ML-47080	537 FSL & 2140 FWL	43-047-36876	Undesignated	Gas
Asphalt Wash 3-16-11-24	NENW	16	118	24E		825 FNL & 2116 FWL	43-047-36886	Undesignated	Gas
Asphalt Wash 4-16-11-24	NWNW	16	118	24E		521 FNL & 766 FWL	43-047-36885	Undesignated	Gas
Asphalt Wash 5-16-11-24	SWNW	16	118	24E	ML-47080	1880 FNL & 630 FWL	43-047-37089	Undesignated	Gas
Asphalt Wash 7-16-11-24	SWNE	16	118	24E	ML-47080	1781 FNL & 1676 FEL	43-047-36874	Undesignated	Gas
Asphalt Wash 8-16-11-24	SENE	16	115	24E	ML-47080	1905 FNL & 642 FEL	43-047-36875	Undesignated	Gas
Bonanza 14-20	SESW	20	98	25E		838' FSL & 1,922' FWL	43-047-35930	Chapita Wells	Gas
Bonanza 4-20	NWNW	20	98	25E		933' FNL & 583 FWL	43-047-35924	Chapita Wells	Gas
Bonanza 4-29	NWNW	29	98	25E	ML-45559	600' FNL & 596' FWL	43-047-36010	Chapita Wells	Gas
Bonanza 4-36	NWNW	36	98	24E	ML-46527	258' FNL & 862' FWL	43-047-35861	Natural Buttes	Gas
Bonanza 6-20	SENW	20	98	25E	ML-45558	2,178' FNL & 1,839' FWL	43-047-35928	Chapita Wells	Gas
Buek Canyon 9-16-12-21	NESE	16_	125	21E			43-047-37091	Buck Canyon	Gas
Buck Canyon 11-16-12-21	NESW	16		21W		NA	43-047-37119	Undesignated	Gas
Buck Canyon 13-16-21-21	SWSW	16		21W		NA NA	43-047-37118	Undesignated	Gas Gas
Buck Canyon 15-16-12-21	SWSE	16				NA	43-047-37120	Buck Canyon	
East Bench 1-16	NENE	16	115	22E	ML-46911	660' FNL & 660' FEL	43-047-36126	Undesignated	Gas
East Bench 15-16	SWSE	16	115	22E	ML-46911	545' FSL & 1,848' FEL	43-047-36128	Undesignated	Gas
East Bench 3-16	NENW	16	115	22E		832' FNL & 1,978' FWL	43-047-36125 43-047-36127	Undesignated Undesignated	Gas
East Bench 7-16	SWNE	16	115	22E	ML-46911	1,909' FNL & 1,643' FEL		Undesignated Undesignated	Gas
East Bench 12-16-11-22	NWSW	16	115	22E	ML-46911	1862 FSL & 838 FEL 880 FSL & 750 FWL	43-047-37128 43-047-37130	Undesignated	Gas
East Bench 13-16-11-22	SWSW	16	115	22E	ML-46911		43-047-37130	Undesignated	Gas
East Bench 14-16-11-22	SESW	16	115	22E	ML-46911	848 FSL & 1930 FWL	43-047-37122	Undesignated	Gas
East Bench 16-16-11-22	SESE	16	115		ML-46911	663 FSL & 1055 FEL 705 FNL & 2077 FEL	43-047-37121	Undesignated	Gas
East Bench 2-16-11-22	NWNE	16	118		<u> </u>	705 FNL & 2077 FEL 760 FNL & 860 FWL	43-047-37125	Undesignated	Gas
East Bench 4-16-11-22	NWNW	16	115		ML-46911 ML-46911	1980 FNL & 758 FWL	43-047-37129	Undesignated	Gas
East Bench 5-16-11-22	SWNW	16 16	11S	22E	ML-46911 ML-46911	1887 FNL & 2138 FWL	43-047-37124	Undesignated	Gas
East Bench 6-16-11-22	SENW			22E	ML-46911 ML-46911	1880 FNL & 780 FEL	43-047-37127	Undesignated	Gas
East Bench 8-16-11-22	SENE	16 16	11S		ML-46911 ML-46911	2035 FSL & 1422 FEL	43-047-37127	Undesignated	Gas
East Bench 9-16-11-22	NESE SENW	16	65	19E		1550 FNL 1025 FWL	43-047-36963	- Moffit Canal	Oil
Gusher 6-2		32	115	23E			43-047-36309	Undesignated	Gas
Hanging Rock 1-32	NENE		115	23E	ML-47082	609 FNL & 688 FEL	43-047-36981	Wildcat	Gas
Little Pack Mountain 1-16	NWNW	16	125		ML-47082 ML-47083	1792 FNL & 1797 FEL	43-047-36980	Wildcat	Gas
Little Pack Mountain 7-32	SWNE NWSW	32	108		ML-47083	1844 FSL & 755 FWL	43-047-36534	Natural Buttes	Gas
Rock House 12-36-10-23 Rock House 13-32-10-23	SWSW	36	105		ML-47907	564 FSL & 471 FWL	43-047-36411	Natural Buttes	Gas
Rock House 1-36-10-22	NENE	36		23E		620 FNL & 850 FEL	43-047-36408	Natural Buttes	Gas
Rock House 1-36-10-22	NENW	36	105			934 FNL & 1783 FWL	43-047-36407	Natural Buttes	Gas
Rock House 3-36-10-22 Rock House 4-32-10-23	SWNW	32	105				43-047-36412	Natural Buttes	Gas
Rock House 4-32-10-23	SWNE	36	105				43-047-36409	Natural Buttes	Gas
Rock House 9-32-10-23	NESE	32	105				43.047.36337	Natural Buttes	Oas S
Rockhouse #13-36	SWSW	36	108				43-047-35902	Natural Buttes	Gas
Rockhouse 16-2	SESE	2	115				43-047-36152	Rockhouse	Gas
Seep Springs 10-13-12-24	NWSE	13	128		ML-49275		43-047-36634	Undesignated	Gas
Seep Springs 1-13-12-24	NENE	13	128	+			43-047-36628	Undesignated	Gas
Seep Springs 15-11-12-24	SWSE	11	128				43-047-36626	Undesignated	Gas
Seep Springs 15-11-12-24	SWSE	13	125				43-047-36630	Undesignated	Gas
Seep Springs 16-11-12-24	SESE	11	128				43-047-36625	Undesignated	Gas
Seep Springs 16-13-12-24	SESE	13	125				43-047-36629	Undesignated	Gas
Seep Springs 16-13-12-24 Seep Springs 2-13-12-24	NWNE	13	125				43-047-36627	Undesignated	Gas
Seep Springs 2-13-12-24 Seep Springs 7-13-12-24	SWNE	13	125				43-047-36631	Undesignated	Gas
	SENE	13	125	_		· · · · · · · · · · · · · · · · · · ·	43-047-36632	Undesignated	Gas
Seep Springs 8-13-12-24	NESE	13	125				43-047-36633	Undesignated	Gas
Seep Springs 9-13-12-24	NESE	36	98_	23E			43-047-36535	Natural Buttes	Gas
Southman Canyon 11-36-9-23 Southman Canyon 13-36-9-23	SWSW	36	95	235			43-047-36532	Natural Buttes	One
Southman Canyon Lisabear	-38805						70 04. 3333		

TRANSFER OF OPERATOR STATE OF UTAH APPROVED AND PENDING

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	Т	R	Lease Number	Footages f/ Sec Lines - SL	API Number	FIELD	Well Type
Southman Canyon 1-36-9-23	NENE	36	98	23E	ML-47782	681 FNL & 496 FEL	43-047-36537	Natural Buttes	Gas
Southman Canyon 15-36-9-23	SWSE	36	98	23E	ML-47782	529 FSL & 1784 FEL	43-047-36529	Natural Buttes	Gas
Southman Canyon 3-36-9-23	NENW	36	98	23E	ML-47782	464 FNL & 1815 FWL	43-047-36530	Natural Buttes	Gas
Southman Canyon 5-36-9-23	SWNW	36	98	23E	ML-47782	2028 FNL & 499 FWL	43-047-36531	Natural Buttes	Gas
Southman Canyon 7-36-9-23	SENE	36	98	23E	ML-47782	2184 FNL & 1994 FEL	43-047-36536	Natural Buttes	Gas
Southman Canyon 9-36-9-23	NESE	36	98	23E	ML-47782	1978 FNL & 657 FEL	43-047-36533	Natural Buttes	Gas

9/20/2005

RANSFER OF OPERATO BLM PENDING WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

	 -						
					Lease	Footages f/ Sec Lines -	
Well Name	Q/Q	Sec	T	R	Number	SL	API Number
Asphalt Wash 13-6	SWISW	-6-		24E		400' FSL & 550' FWL	
Asphalt Wash 10-9-11-24	NW SE	9	118	24E	UTU-73920	1846 FSL & 1942 FEL	43-047-37071
Asphalt Wash 11-9-11-24	NE SW	9	118	24E	UTU-73920	1799 FSL & 1782 FWL	43-047-37073
Asphalt Wash 12-6-11-24	NW SW	6	115	24E	UTU-73919	1844 FSL & 683 FWL	43-047-37066
Asphalt Wash 14-6-11-24	SE SW	6	118	24E	UTU-73919	704 FSL & 2123 FWL	43-047-37067
Asphalt Wash 14-9-11-24	SE SW	9	118	24E	UTU-73920	460 FSL & 2115 FWL	43-047-37076
Asphalt Wash 15-9-11-24	SW SE	9	118	24E	UTU-73920	804 FSL & 1990 FEL	43-047-37074
Asphalt Wash 16-9-11-24	SE SE	9	118	24E	UTU-73920	826 FSL & 472 FEL	43-047-37075
Asphalt Wash 2-6-11-24	NW NE	6	118	24E	UTU-73919	735 FNL & 1590 FEL	43-047-37061
Asphalt Wash 2-7-11-24	NW NE	7	118	24E	UTU-73919	621 FNL & 2462 FEL	43-047-37068
Asphalt Wash 2-9-11-24	NW NE	9	115	24E	UTU-73920	829 FNL & 1774 FEL	43-047-37070
Asphalt Wash 3-6-11-24	NE NW	6	118	24E	UTU-73919	792 FNL & 1925 FWL	43-047-37062
Asphalt Wash 4-6-11-24	NW NW	6	115	24E	UTU-73919	820 FNL & 1007 FWL	43-047-37063
Asphalt Wash 5-6-11-24	SW NW	6	118	24E	UTU-73919	1738 FNL & 716 FWL	43-047-37064
Asphalt Wash 6-7-11-24	SE NW	7	118	24E	UTU-73919	2013 FNL & 2241 FWL	43-047-37069
Asphalt Wash 7-6-11-24	SW NE	6	118	24E	UTU-73919	1616 FNL & 1615 FEL	43-047-37065
Asphalt Wash 7-9-11-24	SE NE	9	118	24E	UTU-73920	1883 FNL & 1854 FEL	43-047-37072
Asphalt Wash 1-7-11-24	NE NE	7	118	24E	UTU-73919	426 FNL & 270 FEL	43-047-37084
Asphalt Wash 4-7-11-24	NW NW	7	115	24E	UTU-73919	856 FNL & 860 FWL	43-047-37085
Asphalt Wash 7-7-11-24	SW NE	7	115	24E	UTU-73919	1909 FNL & 1893 FEL	43-047-37087
Asphalt Wash 8-7-11-24	SE NE	7	115	24E	UTU-73919	1998 FNL & 683 FEL	43-047-37086
Bonanza 4-7	NW/NW	7	98	24E	UTU-73457	809' FNL & 670' FWL	43-047-36017
Bonanza 8-17	SW/NE	17	98	24E	UTU-73457	1865' FNL & 584' FEL	43-047-36041
Bonanza 11-11-9-23	NE SW	11	98	23E	UTU-74426	2036 FSL & 2043 FWL	43-047-36649
Bonanza 11-12-9-23	NE SW	12	98	23E	UTU-74426	1799 FSL & 1948 FWL	43-047-36655
Bonanza 11-18-9-24	NE SW	18	98	24E	UTU-73457	1785 FSL & 2133 FWL	43-047-36637
Bonanza 12-23-9-24	NW/SW	23	98	24E	UTU-81311	1882 FSL & 699 FWL	43-047-36640
Bonanza 12-35	NW/SW	35	98	24E	UTU 73459	1374' FSL & 858' FWL	43-047-36020
Bonanza 13-11-9-23	SW SW	11	98	23E	UTU-74426	463 FSL & 773 FWL	43-047-36650
Bonanza 13-12-9-23	SW SW	12	98	23E	UTU-74426	661 FSL & 656 FWL	43-047-36528
Bonanza 13-18-9-24	SW SW	18	98		UTU-73457	767 FSL & 583 FWL	43-047-36638
Bonanza 14-11-9-23	SE SW	11	98		UTU-74426	756 FSL & 1859 FWL	43-047-36651
Bonanza 14-23-9-24	SE/SW	23	98		UTU-81311	560 FSL & 1878 FWL	43-047-36641
Bonanza 15-11-9-23	SW SE	11	98		UTU-74426	660 FSL & 1980 FEL	43-047-36652
Bonanza 15-12-9-23	SW SE	12	98	23E	UTU-74426	607 FSL & 1920 FEL	43-047-36656
Bonanza 15-18-9-24	SW SE	18	98	24E	UTU-73457	463 FSL & 2162 FEL	43-047-36639
Bonanza 16-12-9-23	SE SE	12	98	23E	UTU-74426	855 FSL & 536 FEL	43-047-36657
Bonanza 16-12-9-23	SE/SE	8	98	24E		588' FSL & 524' FEL	43-047-36101
Bonanza 2-11-9-23	NW NE	11	98	23E		664 FNL & 1925 FEL	43-047-36643
	NW NE	12	98	23E		743 FNL & 1962 FEL	43-047-36527
Bonanza 2-12-9-23		11	98		UTU 74426	499 FNL & 1898 FWL	43-047-36644
Bonanza 3-11-9-23	NE NW	12	98	23E		734 FNL & 1866 FWL	43-047-36524
Bonanza 3-12-9-23	NE NW		95	23E		789' FNL & 807' FWL	43-047-35925
Bonanza 4-35	NW/NW	35		-		1794 FNL & 609 FWL	43-047-36645
Bonanza 5-11-9-23	SW NW	11	98	23E	010/4426	1/34 FIAL & 003 FAAL	1 -10-041-00040

P:\Operations\Drilling\Uinta 9/20/2005

RANSFER OF OPERATO BLM PENDING WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

					Lease	Footages f/ Sec Lines -	
Well Name	Q/Q	Sec	T	R	Number	SL	API Number
Bonanza 5-12-9-23	SW NW	12	98	23E	UTU-74426	1996 FNL & 558 FWL	43-047-36526
Bonanza 5-18-9-24	SW NW	18	98	24E	UTU-73457	2147 FNL & 662 FWL	43-047-36635
Bonanza 5-22	SW/NW	22	88	25E	UTU-73470	1,932' FNL & 415' FWL	43-047-35918
Bonanza 5-24-9-24	SW/NW	24	98	24E	UTU-73458	2167 FNL & 714 FWL	43-047-36642
Bonanza 6-11-9-23	SE NW	11	98	23E	UTU-74426	2069 FNL & 1801 FWL	43-047-36646
Bonanza 6-12-9-23	SE NW	12	98	23E	UTU-74426	2114 FNL & 1871 FWL	43-047-36525
Bonanza 7-11-9-23	SW NE	11	98	23E	UTU-74426	2060 FNL & 2134 FEL	43-047-36647
Bonanza 7-12-9-23	SW NE	12	98	23E	UTU-74426	2065 FNL & 2159 FEL	43-047-36653
Bonanza 8-35	SENE	35	98	24E	UTU-73459	1987' FNL & 909' FEL	43-047-36105
Bonanza 9-11-9-23	NE SE	11	98	23E	UTU-74426	2008 FSL & 553 FEL	43-047-36648
Bonanza 9-12-9-23	NE SE	12	98	23E	UTU-74426	1980 FSL & 660 FEL	43-047-36654
Bonanza 9-18-9-24	NE SE	18	98	24E	UTU-73457	2009 FSL & 852 FEL	43-047-36636
Bonanza 9-22	NE/SE	22	98	24E	UTU-75118	1,969' FSL & 495' FEL	43-047-36102
East Bench 9-20	NE/SE	20	118	22E	UTU-73905	2,170' FSL & 472' FEL	43-047-36275
Rock House 12-30-10-23	NE SW	30	108	23E	UTU-76281	2320 FSL & 1980 FWL	43-047-36548
Rock House 12-31-10-23	NW SW	31	108	23E	UTU-76281	1900 FSL & 460 FWL	43-047-36552
Rock House 13-30-10-23	SW SW	30	108	23E	UTU-76281	553 FSL & 573 FWL	43-047-36549
Rock House 14-31-10-23	SE SW	31	108	23E	UTU-76281	860 FSL & 1890 FWL	43-047-36553
Rock House 3-31-10-23	NE NW	31	105	23E	UTU-76281	854 FNL & 1940 FWL	43-047-36551
Rock House 5-30-10-23	SW NW	30	108	23E	UTU-76281	1858 FNL & 703 FWL	43-047-36547
Rock House 5-31-10-23	SW NW	31	105	23E	UTU-76281	2055 FNL & 2097 FWL	43-047-36550
Rock House 6-31-10-23	SE NW	31	108	23E	UTU-76281	2059 FNL & 2111 FWL	43-047-36554
Reckhouse #12-39	NW/SW	-30-	106	23E	-UTU-80571	1,980' FSL & 660' FWL	43-047-36018 /
Rockhouse 13C-31	SW/SW	31	108	23E	UTU-76281	135' FSL & 365' FWL	43-047-35911
Rockhouse 4D-30	NW NW	30	108	23E	UTU-76281	1,116 FNL & 1,135' FWL	43-047-35882
Rockhouse 4D-31	NW NW	31	108	23E	UTU-76281	990' FNL & 990' FWL	43-047-35807
Southman Canyon 12-3-11-24	NW/SW	3	118	24E	UTU-73918	1,950' FSL & 514' FWL	43-047-36272
Southman Canyon 12-30-10-24	NW/SW	30	108	24E	UTU-65371	2,118' FSL & 502' FWL	43-047-36238
Southman Canyon 13-30	SW/SW	30	98	24E	UTU-80571	765' FSL & 303' FWL	43-047-36018
Southman Canyon 16-31-10-24	SE/SE	31	108	24E	UTU-65371	621' FSL & 575' FEL	43-047-36270
Southman Canyon 4-30-10-24	NW/NW	30	108	24E	UTU 65371	649' FNL & 607' FWL	43-047-36237
Southman Canyon 5-19-10-24	SW/NW	19	105	24E	UTU-65371	1,978' FNL & 855' FWL	43-047-36236
Southman Canyon 6-30	SE/NW	30	98	24E	UTU-80571	2,015' FNL & 2,581' FWL	43-047-36103

x Duplicate API -Different well name

OPERATOR CHANGE WORKSHEET

	R	DUTING
	1.	DII
1	2	CDW

X Change of Operator (Well Sold)

6b. Inspections of LA PA state/fee well sites complete on:

Designation of Agent/Operator

Operator Name Change

Merger

FROM: (Old Operator): N2525-The Houston Exploration Compa		effecti	ve:			9/1/2005			
				TO: (New C	perator):				7
4400 % 11 00 1: 0000	ıny			N2750-Endur	ing Resource	s, LLC			-
1100 Louisiana, Suite 2000	•				th Street, Su				ı
Houston, TX 77002	1			Denve	r, CO 80202				1
Phone: 1-(713) 830-6938				Phone: 1-(303	350-5102				ı
	CA No.			Unit:	7 550 5102				7
WELL(S)						· · · · · · · · · · · · · · · · · · ·			┨
NAME	SEC	TW	N RNG	API NO	ENTITY	LEASE	WELL	WELL	7
					NO	TYPE	TYPE	STATUS	
BONANZA 2-21	21	080S	250E	4304735926		Federal	GW	APD	C
BONANZA 4-11	11	090S	230E	4304735968		Federal	GW	APD	Т
BONANZA 8D-7	07	0908	240E	4304735920	14476	Federal	GW	P	To
BONANZA 4-7	07	090S	240E	4304736017		Federal	GW	APD	\top
BONANZA 14A-8	08	090S	240E	4304735952		Federal	GW	APD	Т
BONANZA 3-8	08	090S	240E	4304735966		Federal	GW	APD	T
BONANZA 16-8	08	090S	240E	4304736101		Federal	GW	APD	T
BONANZA 8-17	17	0908	240E	4304736041		Federal	GW	APD	T
BONANZA 12A-18	18	090S	240E	4304735921	14477	Federal	GW	P	C
BONANZA 16-18	18	090S	240E	4304735992		Federal	GW	APD	十
BONANZA 14-18	18	090S	240E	4304735993	1	Federal	GW	APD	十
BONANZA 4-18	18	0908	240E	4304735994	14641	Federal	GW	DRL	C
BONANZA 9-22	22	090S	240E	4304736102		Federal	GW	APD	十
BONANZA 8B-27	27	090S	240E	4304735923	14576	Federal	GW	DRL	十
BONANZA 16A-27	27	090S	240E	4304735953		Federal	GW	APD	十
SOUTHMAN CYN 8-30	30	090S	240E	4304735967		Federal	GW	APD	十
SOUTHMAN CYN 13-30	30	090S	240E	4304736018		Federal	GW	APD	十
SOUTHMAN CYN 9-30	30	090S	240E	4304736019		Federal	GW	APD	\top
SOUTHMAN CYN 6-30	30	090S	240E	4304736103		Federal	GW	APD	Т
SOUTHMAN CYN 12-30	30	0908	240E	4304736104		Federal	GW	APD	T
RAINBOW 14-17	17	110S	240E	4304736150	14855	Federal	GW	DRL	T
RAINBOW 1-17	17	110S	240E	4304736151		Federal	GW	APD	

n/a

7. Federal and Indian Lease Wells: The BLM and or the For operator change for all wells listed on Federal or Indian leases of		ved the r BLM	nerger, na _not yet	nme change, BIA n/a
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for	r wells listed on:			not yet
 Federal and Indian Communization Agreements (" The BLM or BIA has approved the operator for all wells listed w 			n/a	_
10. Underground Injection Control ("UIC") The Di Inject, for the enhanced/secondary recovery unit/project for the wa				nsfer of Authority to n/a
DATA ENTRY:				
1. Changes entered in the Oil and Gas Database on:	9/29/2005			
2. Changes have been entered on the Monthly Operator Change Sp	oread Sheet on:		9/29/200	5_
3. Bond information entered in RBDMS on:	9/30/2005			
4. Fee/State wells attached to bond in RBDMS on:	9/30/2005			
5. Injection Projects to new operator in RBDMS on:	n/a			
6. Receipt of Acceptance of Drilling Procedures for APD/New on:		9/26/2005	;	
FEDERAL WELL(S) BOND VERIFICATION:				
Federal well(s) covered by Bond Number:	UTB000173			
INDIAN WELL(S) BOND VERIFICATION:				
1. Indian well(s) covered by Bond Number:	n/a			
FEE & STATE WELL(S) BOND VERIFICATION: 1. (R649-3-1) The NEW operator of any fee well(s) listed covered by	y Bond Number		RLB00080	031
2. The FORMER operator has requested a release of liability from the The Division sent response by letter on:	eir bond on:	n/a	-	
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been composite of their responsibility to notify all interest owners of this change on the change of the c		ned by a le	etter from th	e Division
COMMENTS:				

9/29/2005

6c. Reports current for Production/Disposition & Sundries on:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, UT 84078 435) 781-4400 Fax: (435) 78

(435) 781-4400 Fax: (435) 781-4410 http://www.blm.gov/utah/vernal

IN REPLY REFER TO: 3162.3 UT08300

October 28, 2005

Al Arlian Enduring Resources, LLC 475 17th Street, Suite 1500 Denver, Colorado 80202

Re: Change of Operator

The Houston Expl. Co. to Enduring Resources, LLC Uintah County, Utah Lease No. U-80571

Dear Mr. Arlian:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the attached list of wells. After a review by this office, the change in operator request is approved. Effective immediately, Enduring Resources, LLC is responsible for all operations performed on the referenced wells. All liability will now fall under your bond, BLM Bond No. UTB000173, for all operations conducted on the referenced wells on the leased land.

If you have any other questions concerning this matter, please contact Leslie Wilcken of this office at (435) 781-4497.

Sincerely,

Matt Baker

Petroleum Engineer

cc:

UDOGM

The Houston Expl. Co.

RECEIVED NOV 0 2 2005

DIV. OF OIL, GAS & MINING

TRANSFER OF OPERATOR BLM APPROVED/DRILLED WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	Т	R	Lease Number	Footages #/ Sec Lines - SL	API Number	Status
Bonanza 16A-27	SE/SE	27	98	24E	UTU-80571	862' FSL & 581' FEL	43-047-35923	Apprvd
Bonanza 2D-27	NW NE	27	98	24E	UTU-80571	1,064' FNL & 1,824' FEL	43-047-35693	Drilled
Bonanza 8B-27	SE/NE	27	98	24E	UTU-80571	1,830' FNL & 735' FEL	43-047-35923	Apprvd
Southman Canyon #14-30	SE/SW	30	9\$	24E	UTU-80571	740' FSL & 1,737' FWL	43-047-35914	Apprvd
Southman Canyon #4C-30	NW/NW	30	95	24E	UTU-80571	676' FNL & 568' FWL	43-047-35913	Apprvd
Southman Canyon 12-30	NW/SW	30	98	24E	UTU-80571	1,912' FSL & 513' FWL	43-047-36104	Apprvd
Southman Canyon 2D-30	NW NE	30	98	24E	UTU-80571	1,171' FNL & 1,502' FEL	43-047-35691	Drilled
Southman Canyon 8-30	SE/NE	30	98	24E	UTU-80571	1,875' FNL & 818' FEL 🌘	43-047-35004	Apprvd
Southman Canyon 9-30	NE/SE	30	98	24E	UTU-80571	2,089' FSL & 831' FEL	43-047-36019	Apprvd

· <u>43-047-35967</u>

RECEIVED

NOV 0 2 2005

DIV. OF OIL, GAS & MINING

DEPARTMENT OF NATURAL RESOURCES	
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	or to 7. UNIT or CA AGREEMENT NAME: N/A
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Bonanza 9-24-42-27
2. NAME OF OPERATOR:	9. API NUMBER:
Enduring Resources, LLC 3. ADDRESS OF OPERATOR: IPHONE NUMBER:	4304735923 10. FIELD AND POOL, OR WILDCAT:
475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202 (303) 350-511	•
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,830' FNL - 735' FEL	соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 27 9S 24E S	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, R	EPORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
2/8/2007 COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATIONS	✓ OTHER: Drilling Delay.
, , , , , , , , , , , , , , , , , , , ,	
Enduring did not receive complete records on this well from the prior operator and has	not fully evaluated the well.
Enduring request nine months to commence drilling operations, or to plug surface pipe	and start surface restoration.
	· •
	OPY SENT TO OPERATOR
	163: <u>03-15-09</u> 111a's: CHO
	- Commence of the Commence of
NAME (PLEASE PRINT) Alvin R. (AI) Arlian TITLE Landman - R	Regulatory Specialist
SIGNATURE	
This space for State use only)	This
APPROVED BY THE STATE Action is Necessa	ury
OF UTAH DIVISION OF	RECEIVED
CIL, GAS, AND MINING	FEB 1 4 2007
5/2000) (Sie Instructions on Reverse Side)	1 60 1 7 /181/

- drilling, casing, cementing into for surfice casing

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571				
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: N/A				
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Bonanza 9-24-42-27				
2. NAME OF OPERATOR:	9. API NUMBER:				
Enduring Resources, LLC	4304735923 10. FIELD AND POOL, OR WILDCAT:				
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202 (303) 350-5114	Wildcat				
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,830' FNL - 735' FEL	соинту: Uintah				
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 27 9S 24E S	STATE: UTAH				
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA				
TYPE OF SUBMISSION TYPE OF ACTION					
ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION				
NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL				
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON				
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR				
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE				
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL				
(Submit Original Form Only) Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF				
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: <u>Drilling Delay.</u>				
2/8/2007 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION					
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	nes, etc.				
Enduring did not receive complete records on this well from the prior operator and has not	fully evaluated the well.				
Enduring request nine months to commence drilling operations, or to plug surface pipe and	Total Carrace rectoration				
The decision of the property (2007)					
There has been no change since previous report (2/07).					
NAME (PLEASE PRINT) Evette Bissett TITLE Regulatory Affa	irs Assistant				
4/18/2007					
SIGNATURE DATE 47 TO/2007					

(This space for State use only)

RECEIVED APR 2 3 2007

		STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES	FORM
	I	DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
	SUNDRY	NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Doı	not use this form for proposals to drill ne drill horizontal la:	ew wells, significantly deepen existing wells below current bottom-hole depth, reenter plugger terals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: N/A
. TY	YPE OF WELL OIL WELL	GAS WELL OTHER	8. WELL NAME and NUMBER: Bonanza 9-24-42-27
	AME OF OPERATOR:		9. API NUMBER: 4304735923
	during Resources, LLC	PHONE NUMBE	
	5 17th Street, Suite 1500		
	DCATION OF WELL	21016 45	
FC	DOTAGES AT SURFACE: 1,830'	FNL - 735' FEL	соинту: Uintah
Q.	TR/QTR, SECTION, TOWNSHIP, RANG	SE, MERIDIAN: SENE 27 9S 24E S	STATE: UTAH
1.	CHECK APPR	OPRIATE BOXES TO INDICATE NATURE OF NOTIC	E, REPORT, OR OTHER DATA
	TYPE OF SUBMISSION	TYPE OF ACT	ON
Z	NOTICE OF INTENT (Submit in Duplicate)	ACIDIZE DEEPEN ALTER CASING FRACTURE TREAT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
	Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
		CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
	5/30/2007	CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
7	SUBSEQUENT REPORT	CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
_	(Submit Original Form Only)		
	Date of work completion:		·
		COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL ST	drilling schodule
_		CONVERT WELL TYPE RECOMPLETE - DIFFERENT	FORMATION CTIMING CONTEGUES
2.	DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pertinent details including dates, d	epths, volumes, etc.
Pu	rsuant to earlier sundry	notices, Enduring requested 9 months from 2-8-2007 to	11-8-2007 to drill this well.
1.	Conductor has been se	t.	
2.	The well's location has	been reviewed, and the well has been placed back in th	e drilling schedule, and
3.	If not drilled within the	above timetable the location shall be restored. (Location	n is fairly flat.)

NAME (PLEASE PRINT) Alvin R. (AI) Arlian	TITLE	Landman - Regulatory Specialist
SIGNATURE	,,,,,,	5/30/2007
This space for State use only)		RECEIVED

JUN 0 1 2007

11.

 \square

DEPARTMENT OF NATURAL RESOURCES								
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571							
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:							
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:							
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Bonanza 9-24-42-27							
2. NAME OF OPERATOR:	9. API NUMBER:							
Enduring Resources, LLC 3. ADDRESS OF OPERATOR: 1 PHONE NUMBER:	4304735923 10. FIELD AND POOL, OR WILDCAT:							
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202 PHONE NUMBER: (303) 350-5114	Wildcat							
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,830' FNL - 735' FEL	соинту: Uintah							
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 27 9S 24E S	STATE: UTAH							
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REI	PORT, OR OTHER DATA							
TYPE OF SUBMISSION TYPE OF ACTION								
✓ NOTICE OF INTENT □ DEEPEN	REPERFORATE CURRENT FORMATION							
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON							
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION 5/20/2007 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR							
5/30/2007 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE							
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL							
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF							
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER: Well is back in							
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATI	drilling schedule							
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, vo	olumes, etc.							
Pursuant to earlier sundry notices, Enduring requested 9 months from 2-8-2007 to 11-8-2	2007 to drill this well.							
Conductor has been set.								
2. The well's location has been reviewed, and the well has been placed back in the drilling	ng schedule, and							
3. If not drilled within the above timetable the location shall be restored. (Location is fail	rly flat.)							

(This space for State use only)

NAME (PLEASE PRINT) Alvin R. (AI) Arlian

Accepted by the Utah Division of Oil, Gas and Mining
For Record Only

RECEIVED

Landman - Regulatory Specialist

6/26/2007

JUN 2 9 2007

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES	FORM 9					
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571					
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A					
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: N/A					
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Bonanza 9-24-42-27					
2. NAME OF OPERATOR: Enduring Resources, LLC	9. API NUMBER: 4304735923					
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202 (303) 350-5114	10. FIELD AND POOL, OR WILDCAT: Wildcat					
4. LOCATION OF WELL						
FOOTAGES AT SURFACE: 1,830' FNL - 735' FEL	COUNTY: Uintah					
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 27 9S 24E S	STATE: UTAH					
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA					
TYPE OF SUBMISSION TYPE OF ACTION	W					
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION					
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL					
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON					
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR					
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE					
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL					
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF					
Date of work completion:						
2/8/2007 COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ отнек: <u>Drilling Delay.</u>					
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION						
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volun	nes, etc.					
Enduring did not receive complete records on this well from the prior operator and has not	fully evaluated the well.					
Enduring request nine months to commence drilling operations, or to plug surface pipe and start surface restoration.						
There has been no change since previous report (6/07).						

NAME (PLEASE PRINT) Evette Bissett	TITLE	Regulatory Affairs Assistant
SIGNATURE GUELLO BISSING	DATE	7/18/2007

(This space for State use only)

RECEIVED
JUL 2 5 2007

NOTICE

Utah Oil and Gas Conservation General Rule R649-3-21 states that,

- A well is considered completed when the well has been adequately worked to be capable of producing oil or gas or when well testing as required by the division is concluded.
- ➤ Within 30 days after the completion or plugging of a well, the following shall be filed:
 - Form 8, Well Completion or Recompletion Report and Log
 - · A copy of electric and radioactivity logs, if run
 - · A copy of drillstem test reports,
 - A copy of formation water analyses, porosity, permeability or fluid saturation determinations
 - · A copy of core analyses, and lithologic logs or sample descriptions if compiled
 - A copy of directional, deviation, and/or measurement-while-drilling survey for each horizontal well

Failure to submit reports in a timely manner will result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

As of the mailing of this notice, the division has not received the required reports for

Operator: Enduring Resources, LLC Today's Date: 09/18/2007

Well:	API Number:	Drilling Commenced:
Bonanza 9-24-24-27 drlg/wcr	4304735923	02/05/2005
Bonanza 9-25-13-20 drlg/wcr	4304735929	08/06/2005
Southman Cyn 10-24-13-30 drlg/wcr	4304736238	12/30/2006
Rock House 11-23-42-2 drlg/wcr	4304737865	01/25/2007
Rock House 11-23-41-2 drlg/wcr	4304738033	01/25/2007
Bonanza 9-24-11-17 drlg/wcr	4304736017	01/30/2007
Rainbow 11-24-21-20 drlg/wcr	4304737567	02/07/2007
Archy Bench 11-22-12-2 drlg/wcr	4304736793	03/14/2007

To avoid compliance action, required reports should be mailed within 7 business days to:

Utah Division of Oil, Gas and Mining

1594 West North Temple, Suite 1210

P.O. Box 145801

Salt Lake City, Utah 84114-5801

If you have questions or concerns regarding this matter, please call (801) 538-5284.

cc: Well File Compliance File

Well	API number	Drilling Commenced
Archy Bench 11-22-22-2 drlg/wcr	4304736786	03/14/2007
Rock House 11-23-21-2 drlg/wcr	4304738032	05/02/2007
Rock House 11-23-22-2 drlg/wcr	4304737867	05/02/2007
Hanging Rock 11-23-43-36 drlg/wc	r 4304738282	05/03/2007

NOTICE

Utah Oil and Gas Conservation General Rule R649-3-21 states that,

- A well is considered completed when the well has been adequately worked to be capable of producing oil or gas or when well testing as required by the division is concluded.
- ➤ Within 30 days after the completion or plugging of a well, the following shall be filed:
 - Form 8, Well Completion or Recompletion Report and Log
 - · A copy of electric and radioactivity logs, if run
 - · A copy of drillstem test reports,
 - A copy of formation water analyses, porosity, permeability or fluid saturation determinations
 - · A copy of core analyses, and lithologic logs or sample descriptions if compiled
 - A copy of directional, deviation, and/or measurement-while-drilling survey for each horizontal well

Failure to submit reports in a timely manner will result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

As of the mailing of this notice, the division has not received the required reports for

Operator:	Enduring Resources, LLC	Today's Date:	09/18/2007
оролико	*		*

Well:	API Number:	Drilling Commenced:
Bonanza 9-24-24-27 drlg/wcr Bonanza 9-25-13-20 drlg/wcr Southman Cyn 10-24-13-30 drlg/wcr Rock House 11-23-42-2 drlg/wcr Rock House 11-23-41-2 drlg/wcr Bonanza 9-24-11-17 drlg/wcr	4304735923 4304735929 4304736238 4304737865 4304738033 4304736017	02/05/2005 08/06/2005 12/30/2006 01/25/2007 01/25/2007 01/30/2007
Rainbow 11-24-21-20 drlg/wcr Archy Bench 11-22-12-2 drlg/wcr	4304737567 4304736793	03/14/2007

To avoid compliance action, required reports should be mailed within 7 business days to:

Utah Division of Oil, Gas and Mining

1594 West North Temple, Suite 1210

P.O. Box 145801

Salt Lake City, Utah 84114-5801

If you have questions or concerns regarding this matter, please call (801) 538-5284.

RECEIVED OCT 0 1 2007

Well File Compliance File

	TMENT OF NATURAL RESOUR ON OF OIL, GAS AND MIN		ī	5. LEASE DESIGNATION AND SERIAL NUMBER:
DIVISIO	NOT OIL, GAG AND WIN			UTU-80571
SUNDRY NOTI	LS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A		
Do not use this form for proposals to drill new wells, sig	n, reenter plugged wells, or to s.	7. UNIT OF CA AGREEMENT NAME: N/A		
1. TYPE OF WELL OIL WELL	GAS WELL OTHER_			8. WELL NAME and NUMBER: Bonanza 9-24-42-27
2. NAME OF OPERATOR:		**		9. API NUMBER:
Enduring Resources, LLC		· · · · · · · · · · · · · · · · · · ·	BUONE NUMBER	4304735923 10. FIELD AND POOL, OR WILDCAT:
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver	STATE CO ZIP		PHONE NUMBER: (303) 350-5114	Wildcat
4. LOCATION OF WELL	Q.A.S.	•		
FOOTAGES AT SURFACE: 1,830' FNL - 7	'35' FEL			COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDI	IAN: SENE 27 9S 24	4E S		STATE: UTAH
11. CHECK APPROPRIA	ATE BOXES TO INDICATI	E NATURE (OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	
NOTICE OF INTENT	IDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
	TER CASING	FRACTURE 1		SIDETRACK TO REPAIR WELL
	SING REPAIR	NEW CONST		TEMPORARILY ABANDON TUBING REPAIR
	ANGE TO PREVIOUS PLANS	OPERATOR		
_	ANGE TUBING	PLUG AND A		VENT OR FLARE
(Submit Original Form Only)	ANGE WELL NAME	PLUG BACK		WATER DISPOSAL WATER SHUT-OFF
Date of work completion:	ANGE WELL STATUS		ON (START/RESUME)	
2/8/2007	MMINGLE PRODUCING FORMATIONS		ON OF WELL SITE TE - DIFFERENT FORMATION	✓ OTHER: <u>Drilling Delay.</u>
	NVERT WELL TYPE			
12. DESCRIBE PROPOSED OR COMPLETED				
Enduring did not receive complete	e records on this well from	the prior ope	erator and has not to	illy evaluated the well.
Enduring request nine months to	commence drilling operati	ons, or to plu	ig surface pipe and	start surface restoration.
- '				
There has been no change since	previous report (7/07).			
NAME (PLEASE PRINT) Alvin R. (Al) Arlian	n		Landman - Regul	atory Specialist
NAME (PLEASE PRINT) AIVIT K. (AI) AITIG		TITLE	= <u></u>	
SIGNATURE		DATE	9/26/2007	

(This space for State use only)

RECEIVED OCT 0 1 2007

NOTICE

Utah Oil and Gas Conservation General Rule R649-3-21 states that.

- A well is considered completed when the well has been adequately worked to be capable of producing oil or gas or when well testing as required by the division is concluded.
- ➤ Within 30 days after the completion or plugging of a well, the following shall be filed:
 - · Form 8, Well Completion or Recompletion Report and Log
 - A copy of electric and radioactivity logs, if run
 - · A copy of drillstem test reports,
 - A copy of formation water analyses, porosity, permeability or fluid saturation determinations
 - · A copy of core analyses, and lithologic logs or sample descriptions if compiled
 - A copy of directional, deviation, and/or measurement-while-drilling survey for each horizontal well

Failure to submit reports in a timely manner will result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

As of the mailing of this notice, the division has not received the required reports for

Operator: Enduring Resources, LLC Today's Date: 11/27/2007

Well:		API Number:	Drilling Commenced:
Bonanza 9-24-42-27	drlg rpts/wcr	4304735923	02/05/2005
Hanging Rock 11-23-13-36	drlg rpts/wcr	4304738283	06/01/2007
Archy Bench 11-22-13-2	drlg rpts/wcr	4304736785	06/15/2007
Buck Camp U 12-22-23-5	drlg rpts/wcr	4304739204	07/03/2007
Hanging Rock 11-23-24-36	drlg rpts/wcr	4304738278	07/09/2007

To avoid compliance action, required reports should be mailed within 7 business days to:

Utah Division of Oil, Gas and Mining

1594 West North Temple, Suite 1210

P.O. Box 145801

Salt Lake City, Utah 84114-5801

If you have questions or concerns regarding this matter, please call (801) 538-5284.

DIVISION OF OIL,	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571		
SUNDRY NOTICES AN	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A		
Do not use this form for proposals to drill new wells, significantly deepen drill horizontal laterals. Use APPLICATION FO	7. UNIT OF CA AGREEMENT NAME: N/A		
1. TYPE OF WELL OIL WELL GAS WELL	OTHER		8. WELL NAME and NUMBER: Bonanza 9-24-42-27
2. NAME OF OPERATOR:			9. API NUMBER:
Enduring Resources, LLC 3. ADDRESS OF OPERATOR:		PHONE NUMBER:	4304735923 10. FIELD AND POOL, OR WILDCAT:
475 17th Street, Suite 1500 OITS Denver	STATE CO ZIP 80202	(303) 350-5114	Wildcat
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,830' FNL - 735' FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE	27 9S 24E S		COUNTY: Uintah STATE: UTAH
11. CHECK APPROPRIATE BOXES	S TO INDICATE NATURE	OF NOTICE REPOR	RT OR OTHER DATA
TYPE OF SUBMISSION		YPE OF ACTION	T, ON OTHER DATA
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 12/5/2007 CHANGE TUBING	DEEPEN FRACTURE NEW CONS	TREAT TRUCTION CHANGE	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: CHANGE WELL NAM CHANGE WELL STA	TUS PRODUCTION UCING FORMATIONS RECLAMATION		WATER DISPOSAL WATER SHUT-OFF ✓ OTHER: Well is back in drilling schedule
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS Request an extension from 11-8-2007 to 11- a. Although they built the well pad before would not agree to drill this well bedoes b. The new 50% WI owners will not age their 50% WI in this well, and c. The BLM APD has now expired and 	8-2008 to drill this well (We ore conveying operations to cause their working interests gree to drill the well as they	Il Pad has been built Enduring, Enduring's (WI) were being sol). s 50% WI partner, d in early 2007, room to again sell
NAME (PLEASE PRINT) Alvin R. (AI) Arlian	TITL	E Landman - Regula	atory Specialist
		12/5/2007	
SIGNATURE	DATI	E 12/3/2007	

(This space for State use only)

RECEIVED

DEC 1 0 2007

NOTICE

Utah Oil and Gas Conservation General Rule R649-3-21 states that.

- A well is considered completed when the well has been adequately worked to be capable of producing oil or gas or when well testing as required by the division is concluded.
- Within 30 days after the completion or plugging of a well, the following shall be filed:
 - Form 8, Well Completion or Recompletion Report and Log
 - · A copy of electric and radioactivity logs, if run
 - · A copy of drillstem test reports,
 - A copy of formation water analyses, porosity, permeability or fluid saturation determinations
 - A copy of core analyses, and lithologic logs or sample descriptions if compiled
 - A copy of directional, deviation, and/or measurement-while-drilling survey for each horizontal well

Failure to submit reports in a timely manner will result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

			-	
As of the mailing of this not	ice, the divisi	on has not	received the requi	ired reports for
Operator: Enduring Resource	es, LLC		Today's	Date: 02/14/2008
Well:			API Number:	Drilling Commenced:
See Attachment	43 Boha	CAT nza "	35923 1-24-42-2	.7
	95	24E	27	

To avoid compliance action, required reports should be mailed within 7 business days to:

Utah Division of Oil, Gas and Mining

1594 West North Temple, Suite 1210

P.O. Box 145801

Salt Lake City, Utah 84114-5801

If you have questions or concerns regarding this matter, please call (801) 538-5284.

Well:		API Number:	Commenced:
Bonanza 9-24-42-27	drlg rpts/wcr	4304735923	02/05/2005
Bonanza 9-25-13-20	drlg rpts/wcr	4304735929	08/06/2005
Southman Cyn 10-24-13-30	drlg rpts/wcr	4304736238	12/30/2006
Rock House 11-23-42-2	drlg rpts/wcr	4304737865	01/25/2007
Rock House 11-23-41-2	drlg rpts/wcr	4304738033	01/25/2007
Bonanza 9-24-11-7	drlg rpts/wcr	4304736017	01/30/2007
Rainbow 11-24-21-20	drlg rpts/wcr	4304737567	02/07/2007
Rock House 11-23-21-2	drlg rpts/wcr	4304738032	05/02/2007
Rock House 11-23-22-2	drlg rpts/wcr	4304737867	05/02/2007
Hanging Rock 11-23-43-36	drlg rpts/wcr	4304738282	05/03/2007
Hanging Rock 11-23-13-36	drlg rpts/wcr	4304738283	06/01/2007
Buck Camp U 12-22-23-5	drlg rpts/wcr	4304739204	07/03/2007
Hanging Rock 11-23-24-36	drlg rpts/wcr	4304738278	07/09/2007
Hanging Rock 11-23-14-36	drlg rpts/wcr	4304738276	08/30/2007

NOTICE OF LATE REPORTING DRILLING & COMPLETION INFORMATION

Utah Oil and Gas Conservation General Rule R649-3-6 states that,

Operators shall submit monthly status reports for each drilling well (including wells where drilling operations have been suspended).

Utah Oil and Gas Conservation General Rule R649-3-21 states that,

- A well is considered completed when the well has been adequately worked to be capable of producing oil or gas or when well testing as required by the division is concluded.
- Within 30 days after the completion or plugging of a well, the following shall be filed:
 - Form 8, Well Completion or Recompletion Report and Log
 - A copy of electric and radioactivity logs, if run
 - · A copy of drillstem test reports,
 - A copy of formation water analyses, porosity, permeability or fluid saturation determinations
 - · A copy of core analyses, and lithologic logs or sample descriptions if compiled
 - A copy of directional, deviation, and/or measurement-while-drilling survey for each horizontal well

Failure to submit reports in a timely manner will result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

As of the mailing of	this notic	ce, the divis	ion has no	ot received the requir	red repo	rts for
Operator: Enduring I	Resources	, LLC		Today's	Date: _	04/21/2008
Well: Bonanza 9-24-42-27	95	24E	27	API Number: 4304735923		ing Commenced: 02/05/2005
List Attached						
To avoid complianc Utah Divisior 1594 West N P.O. Box 148	n of Oil, C Iorth Ten	as and Mir	ning	uld be mailed within	7 busine	ess days to:
Salt Lake Cit	y, Utah 8	34114-5801				
If you have question at (801) 538-5260	ns or con	cerns regar	ding this r	natter, please contac	ct Rachel	l Medina

CC:

DIV. OF OIL, GAS & MINING

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES	
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: N/A
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:	Bonanza 9-24-42-27 9. API NUMBER:
Enduring Resources, LLC	4304735923
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202 PHONE NUMBER: (303) 350-5114	10. FIELD AND POOL, OR WILDCAT: Wildcat
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,830' FNL - 735' FEL	соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 27 9S 24E S	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
5/1/2008 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING UPLUG AND ABANDON SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	VENT OR FLARE WATER DISPOSAL
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: Well is back in
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	drilling schedule
 a. Although they built the well pad before conveying operations to Enduring, Enduring would not agree to drill this well because their working interests (WI) were being so b. The new 50% WI owners will not agree to drill the well as they have opened a data their 50% WI in this well, and c. The BLM APD has now expired and Enduring is submitting a new APD to the BLM 	old in early 2007, room to again sell
NAME (PLEASE PRINT) Alvin R. (AI) Arlian SIGNATURE Accepted by the Utah Division of Oil, Gas and Mining Date: 5/2/08 (See Instructions on Reverse Side)	RECEIVED APR 3 0 2008
(See Instructions on Reverse Side)	DIV OF OUR CAR A SEC

FORM 9 STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING UTU-80571 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: **SUNDRY NOTICES AND REPORTS ON WELLS** N/A 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. N/A 1. TYPE OF WELL 8. WELL NAME and NUMBER: OIL WELL GAS WELL 🗸 **OTHER** Bonanza 9-24-42-27 9. API NUMBER: 2. NAME OF OPERATOR: 4304735923 Enduring Resources, LLC 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER: STATE CO 71D 80202 475 17th Street, Suite 1500 (303) 350-5114 Wildcat Denver 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,830' FNL - 735' FEL COUNTY: Uintah 98 QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 24E S STATE: UTAH CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 11. TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start CASING REPAIR **NEW CONSTRUCTION** TEMPORARILY ABANDON \mathbf{Z} CHANGE TO PREVIOUS PLANS OPERATOR CHANGE 7/1/2008 TUBING REPAIR CHANGE TUBING PLUG AND ARANDON VENT OR FLARE SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: Operations Suspended CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Request well and pad be placed in "suspended operations" waiting new BLM APD. The BLM APD expired and Enduring has submitted a new APD to the BLM to drill this well. BLM APD received 12-31-2007. BLM APD Status as of 5-23-2008 is "APD IS COMPLETE AS SUBMITTED". 3. A BLM sundry Notice of Intent is being filed concurrently with this Notice of Intent. Until the BLM permit to drill has been granted, and drilling operations re-commence, secure well pad: a. Remove part of pit liner that is ripped and flapping, b. Fence pit on all four sides with fencing that meets BLM requirements, and c. Pad is "re-vegetating" on it's own and will not disturb pad until ready to drill.

(This space for State use only)

SIGNATURE

NAME (PLEASE PRINT) Alvin R. (AI) Arlian

RECEIVED
JUN 3 0 2008

Landman - Regulatory Specialist

TITLE

6/27/2008

FORM 9

STATE OF UTAH

	DEPARTMENT OF NATURAL RESOUR	RCES			
	DIVISION OF OIL, GAS AND MII	NING .		i	SE DESIGNATION AND SERIAL NUMBER: J-80571
SUNDR	Y NOTICES AND REPORTS	ON WEL	LS	6. IF II N/A	NDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill	new wells, significantly deepen existing wells below curr laterals. Use APPLICATION FOR PERMIT TO DRILL fo	rent bottom-hole dep	th, reenter plugged wells, or to	7. UNI N/A	T or CA AGREEMENT NAME:
TYPE OF WELL OIL WELL		orm for agon propose	410.		LL NAME and NUMBER:
2. NAME OF OPERATOR:					nanza 9-24-42-27
Enduring Resources, LLC	<u> </u>				4735923
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500	Denver STATE CO ZIP	80202	PHONE NUMBER: (303) 350-5114		ELD AND POOL, OR WILDCAT: dcat
4. LOCATION OF WELL	IT STATE ZE				
FOOTAGES AT SURFACE: 1,830)' FNL - 735' FEL			COUN	ry: Uintah
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN: SENE 27 9S 2	4E S		STATE	:
					UTAH
11. CHECK APP	PROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, O	R OTHER DATA
TYPE OF SUBMISSION			YPE OF ACTION		
NOTICE OF INTENT	ACIDIZE	DEEPEN			REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE			SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONS			TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS CHANGE TUBING	OPERATOR PLUG AND			TUBING REPAIR VENT OR FLARE
SUBSEQUENT REPORT	CHANGE VELL NAME	PLUG BACK			WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	_	` ON (START/RËSUME)		WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS		ION OF WELL SITE		отнея: Long term shut-in
8/1/2008	CONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION		request.
12. DESCRIBE PROPOSED OR C	COMPLETED OPERATIONS. Clearly show all p	ertinent details in	cluding dates, depths, volume	es, etc.	
Request Suspension of C	Operations.				
	·				
The BLM APD expired ar	nd Enduring has submitted a new a	APD to the E	BLM to drill this well.		
1. BLM APD received 1	12-31-2007,				
2. BLM APD Status as	of 5-23-2008 is "APD IS COMPLE				
3. A DOG&M sundry no	otice of Intent is being filed concur	rently with th	is Notice of Intent.		
7-8-2008 Update: Se	ecured well pad:				
a. Removed part of pit	liner that was ripped and flapping,	and			
	r sides with fencing that meets BL		nts.		
Pad is "re-vegetating" o	n it's own and will not disturb pad	until ready to	o drill		
. ad is to vegetating o	The own and will not distail pad				
		**			· · · · · · · · · · · · · · · · · · ·
NAME (PLEASE PRINT) Alvin R. (AI) Arlian	ТІТЬ	E Landman - Regul	atory	Specialist
	_				

(This space for State use only)

RECEIVED JUL 28 2008

7/25/2008

FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING UTU-80571 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS N/A 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to N/A drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8 WELL NAME and NUMBER: 1 TYPE OF WELL GAS WELL 🗸 OIL WELL OTHER Bonanza 9-24-42-27 2. NAME OF OPERATOR: 9. API NUMBER: Enduring Resources, LLC 4304735923 PHONE NUMBER: 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: CO STATE (303) 350-5114 Wildcat 80202 475 17th Street, Suite 1500 Denver 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,830' FNL - 735' FEL COUNTY: Uintah 27 9S QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 24E S STATE UTAH CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 11. TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start: CASING REPAIR **NEW CONSTRUCTION** TEMPORARILY ABANDON CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLARE SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: Well Status Report CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Request Suspension of Operations. The BLM APD expired and Enduring has submitted a new APD to the BLM to drill this well. 1. BLM APD received 12-31-2007, BLM APD Status as of 5-23-2008 is "APD IS COMPLETE AS SUBMITTED". 3. A DOG&M sundry notice of Intent is being filed concurrently with this Notice of Intent. 7-8-2008 Update: Secured well pad: a. Removed part of pit liner that was ripped and flapping, and b. Fenced pit on all four sides with fencing that meets BLM requirements. Pad is "re-vegetating" on it's own and will not disturb pad until ready to drill. Alvin R. (Al) Arlian Landman - Regulatory Specialist NAME (PLEASE PRINT) 8/29/2008 DATE

(This space for State use only)

RECEIVED SEP 0 2 2008

Date: 8/28/2008 10:58 AM Time:

Bonanza 9-24-24-27 42

PI/Dwights PLUS on CD Scout Ticket

8B-27 BONANZA

State: **UTAH**

UINTAH County:

Operator: HOUSTON EXP CO THE

> API: 43047359230000

Initial Class: D Target Objective: **GAS**

Final Well Class:

Status:

Field: **BONANZA**

Permit: on SEP 23, 2004

First Report Date: SEP 28, 2004

Projected TD: 7200 Formation: SEGO

Hole Direction: VERTICAL

Location

Section, Twp., Range: 27 9 S 24 E

> Spot Code: NW SE NE

Footage NS EW Origin: 1830 FNL 735 FEL CONGRESS SECTION

Surface Remark:

Principal Meridian: SALT LAKE

> Lat/Long: 40.0090689 / -109.1925552 ΙH

PBHL Footage NS EW Origin:

PBHL Section:

PBHL Remark:

ABHL Footage NS EW Origin:

ABHL Section:

ABHL Remark:

Location Narrative: Type Remark

> SCALED FOOT REGULATORY

IRREG SECT

DST_TOWN 42.6 MI S VERNAL, UT

Dates and Depths

Spud: FEB 05, 2005 Spud Date Code: A

TD: on

LTD:

TVD:

PlugBack Depth:

Completed:

Formation @ TD: Name:

Ref. Elevation:

KB. Elevation:

Ground Elevation: 5582 GR **NOT REPORTED** Contractor: Rig#

Rig Release Date:

Casing, Liner, Tubing

40 w/ Casing 16 IN @ SX

Drilling Journal

Narrative: FEB 07, 2005 DRY HOLE SPUD BY PETE MARTIN BUCKET RIG

2/5/05, WORT

Narrative: AUG 08, 2007 WORT

Date: 8/28/2008 Time: 10:58 AM

PI/Dwights PLUS on CD Scout Ticket

Drilling Journal

Narrative: JAN 23, 2008 STATE PAPERWORKREPERMITTED 11/8/07

Narrative: JAN 24, 2008 WORT

Lease Acres: 240

Drilling Remark: JAN 23, 2008 REPERMITTED 11/8/07

Operator Address

Street or PO Box: 1100 LOUISIANA STREET

STE 2000

City: HOUSTON

State, Zip: TX, 770025219

Country: USA

Phone: 7138306938 Fax:

E-Mail:

Agent Name: Agent Code:

Agent Remark: RYAM WILLIAM; AGENT;;;;;435;789;0968

RECENTED
VERNAL FIELD CERTOE
FORM APPROVED (01/07/202

Form 3160-3 (April 2004) UNITED STATES Lease Serial No. DEPARTMENT OF THE INTERIOR UTU-89571 BUREAU OF LAND MANAGEMENT 6. If Indian Alleger of Tribe Name APPLICATION FOR PERMIT TO DRILL OR REENTER If Unit or CA Agreement, Name and No. la. Type of work: 🔽 DRILL REENTER N/A 8. Lease Name and Well No. Single Zone 🗸 Multiple Zone Вопания 9-24-42-27 Oil Well

✓ Gas Well lb. Type of Well: 9 API Well No. Name of Operator 43-047-35923 **Enduring Resources, LLC** 3b. Phone No. (include area code) 10. Field and Pool, or Exploratory 3a. Address 475 17th Street, Suite 1500 Denver, CO 80202 Undesignated 303-350-5114 11. Sec., T. R. M. or Blk and Survey or Area Location of Well (Report location clearly and in accordance with any State requirements.*) Sec 27-T9S-R24E SENE 1830' FNL - 735' FEL At surface Sec 27-T9S-R24E S.L.B.&M. SAME At proposed prod. 2016 13. State 12 Constv or Parish 14. Distance in miles and direction from nearest town or post office* ŪΤ **Uintah** 42.6 miles south of Vernal, UT 17. Spacing Unit dedicated to this well 16. No. of acres in lease 15. Distance from proposed 735 location to neare property or lease line, ft. (Also to nearest drig, unit line, if any) 40 acres 20. BLM/BIA Bond No. on file 19. Proposed Depth 18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. BLM - UTB460173 23 Estimated duration 22. Approximate date work will start* 21. Elevations (Show whether DF, KDB, RT, GL, etc.) 20 days 68/01/2008 5,581' GL 24. Attachments The following, completed in accordance with the requirements of Oushore Oil and Gas Order No.1, shall be attached to this form: Bond to cover the operations unless covered by an existing bond on file (see 1. Well plat certified by a registered surveyor. hem 20 above). 2. A Drilling Plan. Operator certification 3. A Surface Use Plan (if the location is on National Forest System Lands, the Such other site specific information and/or plans as may be required by the SUPO shall be filed with the appropriate Forest Service Office). astikorized officer. Date Name (Printed Typed) 25. Signature 01/04/2008 Alvin R. (Al) Artian Title Landman - Regulatory Specialist JAN 21 Name (Printed/Typed) Approved by Tem Offiœ Title VERNAL FIELD OFFICE e applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to Application approval does not conduct operations thereon. Conditions of approval, if any, are attached Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, flexitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on page 2)

NOTICE OF APPROVAL

RECEIVED FEB 0 2 2009

DIV. OF OIL, GAS & MINING

UDDGN NOS: 6/10/2004 08MICO198A



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

VERNAL FIELD OFFICE VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No:

Enduring Resources, LLC Bonanza 9-24-42-27

Location: Lease No: SENE, Sec. 27, T9S, R24E

API No:

43-047-35923

UTU-80571

Agreement: N/A

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer.	Matt Baker	(435) 781-4490	(435) 828-4470
Petroleum Engineer.	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer.	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
Supervisory NRS:	Karl Wright	(435) 781-4484	
NRS/Enviro Scientist	Holly Villa	(435) 781-4404	(435) 828-3544
NRS/Enviro Scientist	James Hereford	(435) 781-3412	(435) 828-3546
NRS/Enviro Scientist	Chuck Macdonald	(435) 781 -444 1	(435) 828-7481
NRS/Enviro Scientist	Dan Emmett	(435) 781-3414	(435) 828-4029
NRS/Enviro Scientist	Paul Percival	(435) 781-4493	(435) 828-7381
NRS/Enviro Scientist	Anna Figueroa	(435) 781-3407	(435) 828-3548
NRS/Enviro Scientist	Verlyn Pindell	(435) 781-3402	(435) 828-3547
NRS/Enviro Scientist	Nathan Packer	(435) 781-3405	(435) 828-3545
NRS/Enviro Scientist:	David Gordon	(435) 781-4424	•
NRS/Enviro Scientist:	Christine Cimiluca	(435) 781-4475	
		East (425) 704 2400	

Fax: (435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)		Eight (48) hours prior to construction of location and s roads.
Location Completion (Notify Environmental Scientist)	- Prior to	o moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	- Twent	y-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)		y-Four (24) hours prior to running casing and ting all casing strings.
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	- Twent	y-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	produc	Five (5) business days after new well begins or ction resumes after well has been off production for han ninety (90) days.

Page 2 of 8

Well: Bonanza 9-24-42-27 1/16/2009

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.

This well is located within the boundary of the West Bonanza Area Natural Gas Well Development Project Environmental Assessment approved 7/18/2006. Any, additional mitigations or COAs (that would apply to this action) approved in the Finding of No Significant Impact Decision Record to that document are also applicable to approval of this proposed action.

SITE SPECIFIC CONDITIONS OF APPROVAL

- Reserve pit needs to be relined and this work witnessed by the NRS prior to new operations.
- The operator shall control noxious weeds along access road use authorizations, pipeline route authorizations, rights-of-way, well sites, or other applicable facilities by spraying or mechanical removal. A list of noxious weeds may be obtained from the BLM weeds specialist or the appropriate County Extension Office. On BLM administered land, it is required that a Pesticide Use Proposal (PUP) be submitted and approved prior to the application of herbicides, pesticides or possibly hazardous chemicals.
- No vehicle travel, construction or routine maintenance activities shall be performed during
 periods when the soil is too wet to adequately support vehicles and/or construction equipment.
 If such equipment creates ruts in excess of four inches deep, the soil shall be deemed too wet
 to adequately support construction equipment.
- The authorized officer may prohibit surface disturbing activities during severe winter, wet, or muddy conditions to minimize watershed damage. This limitation does not apply to operation and maintenance of producing wells.
- The access road shall be crowned and ditched. Flat-bladed roads are not allowed.
- If additional erosion occurs during the life of this project, more culverts, low water crossings, berms, wing ditches or etc. shall be needed to control the erosion. Low-water crossings shall be appropriately constructed to avoid sedimentation of drainage ways and other water resources.
- Pipelines shall be buried at all major drainage crossings.
- Prevent fill and stock piles from entering drainages.
- The reserve pit shall be lined with 16 ml or greater liner to prevent pit leakage and at least one felt liner (double felt as need to prevent pit leakage) prior to spudding.

Page 3 of 8 Well: Bonanza 9-24-42-27

1/16/2009

 All open pits shall be properly fenced and maintained during operations and until the pits are backfilled. When the reserve pit contains fluids or toxic substances, the operator must ensure that animals do not ingest or become entrapped in pit fluids.

- The reserve pit shall be free of oil and other liquids and solid wastes, allowed to dry, be pumped
 dry, or solidified in-situ prior to backfilling. The reserve pit must not be "squeezed", (filled with
 soil while still containing fluids) or cut (puncturing the pit liner while still containing fluids to allow
 pit fluids to drain from the pit).
- The pit liner is to be cut 5 feet below ground surface or at the level of the cuttings, whichever is deeper, and the excess liner material is to be disposed of at an authorized disposal site.
- All permanent facilities, not regulated by OSHA, shall be painted the same color, **Covert Green**; within six months of installation.
- During construction the topsoil from the location shall be stripped and windrowed separately
 from the other excess material. The topsoil windrows shall be re-seeded using the interim seed
 mix and track walked or drag chained at the time the location is constructed. The topsoil
 removed from the pit area shall be stored separately and will not be re-seeded until the pit is
 reclaimed. When the reserve pit is closed, it shall be re-contoured and the topsoil re-spread,
 and the area shall be seeded using the interim seed mix listed below.
- Upon well completion, the well pad location up to the deadmen, shall be recontoured to the
 approximate natural contours and the stockpiled topsoil shall be spread evenly over the
 reclaimed area and then re-seeded using the interim seed mix.

Reclamation:

Interim seed mix:

Hy-crest Crested WheatgrassAgropyron cristatum4 lbs/acreSquirreltail grassElymus elymoides4 lbs/acreWestern WheatgrassAgropyron smithii4 lbs/acre

Final reclamation seed mix:

Hy-crest Crested WheatgrassAgropyron cristatum4 lbs/acreSquirreltail grassElymus elymoides4 lbs/acreWestern WheatgrassAgropyron smithii4 lbs/acreWyoming Big SagebrushArtemisia tridentata var. wyomingensis½ lbs/acre

- All pounds are in pure live seed.
- All seed and mulch shall be certified weed free.
- Drill seeding is required if the topography allows.
- Rates are set for drill seeding; double the rate if broadcasting.
- If broadcasting seed: The seed shall be walked into the soil with a dozer immediately after the seeding is completed, or covered by soil using a drag chain.
- Reseeding shall be required if initial seeding is not successful.

Page 4 of 8

Well: Bonanza 9-24-42-27

1/16/2009

Once the location is plugged and abandoned, the well location and access road shall be
recontoured to the natural topography, topsoil shall be respread, and the entire location and
access road shall be seeded with the final reclamation seed mix. Seed application shall follow
all guidelines in the final reclamation seed mix bullet statement above. If reclamation seeding
should take place using the broadcast method, the seed at a minimum shall be walked into the
soil with a dozer, immediately after the seeding is completed, or covered by soil using a drag
chain.

Page 5 of 8 Well: Bonanza 9-24-42-27

1/16/2009

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

- For surface casing cementing program, stage Top Out or Top Job is to bring cement to surface.
 Note that stage Top Out is to bring cement to surface.
- Production casing cement shall be brought up and into the surface casing. The minimum cement top is 300 ft above the surface casing shoe.
 COA specification is consistent with operators performance standard stated in APD.
- Covering air/gas drilling operations, requirements will be adhered to covering air/gas drilling operations as described in Onshore Order #2 III. E. 1. Drilling Operations, Special Drilling Operations, air/gas drilling.
- A Gamma Ray well Log shall be run from the well Total Depth to the surface.
 A copy of the Gamma Ray well Log shall be submitted to the BLM Vernal Field Office.
- Prior to start of drilling operations, reserve pit shall be relined and visually inspected.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.

Page 6 of 8 Well: Bonanza 9-24-42-27

1/16/2009

No aggressive/fresh hard-banded drill pipe shall be used within casing.

- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water
 is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM
 Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
 Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the <u>top of cement</u> and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 7 of 8

Well: Bonanza 9-24-42-27

1/16/2009

OPERATING REQUIREMENT REMINDERS:

 All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.

- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernat Field office must be
 notified when it is placed in a producing status. Such notification will be by written
 communication and must be received in this office by not later than the fifth business day
 following the date on which the well is placed on production. The notification shall provide, as a
 minimum, the following informational items:
 - o Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or

Page 8 of 8 Well: Bonanza 9-24-42-27

1/16/2009

data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field
 Office Petroleum Engineers will be provided with a date and time for the initial meter calibration
 and all future meter proving schedules. A copy of the meter calibration reports shall be
 submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API
 standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All
 measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
 first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office
 Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in
 order that a representative may witness plugging operations. If a well is suspended or
 abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent
 Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual
 plugging of the well bore, showing location of plugs, amount of cement in each, and amount of
 casing left in hole, and the current status of the surface restoration.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	UTU-80571		
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
SUNDRY NUTICES AND REPORTS ON WELLS	N/A 7. UNIT OF CA AGREEMENT NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	N/A		
1 TYPE OF WELL	8. WELL NAME and NUMBER:		
1. TYPE OF WELL OIL WELL GAS WELL OTHER	Bonanza 9-24-42-27 9. API NUMBER:		
2. NAME OF OPERATOR:	9. API NUMBER: 4304735923		
Enduring Resources, LLC 3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:		
475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202 (303) 350-5114	Wildcat		
4. LOCATION OF WELL	соилту: Uintah		
FOOTAGES AT SURFACE: 1,830' FNL - 735' FEL	COONTY: Officer		
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 27 9S 24E S	STATE: UTAH		
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA		
TYPE OF SUBMISSION TYPE OF ACTION			
ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION		
NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL		
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON		
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR		
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE		
SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL NAME PLUG BACK	WATER DISPOSAL		
Date of work completion:	WATER SHUT-OFF		
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: Well Status Report		
4/1/2009 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.			
MONTHLY WELL STATUS REPORT:			
This well shall continue to be shut-in for the month of April, 2009.			
1. Enduring is preparing an "Action Plan" for this and other shut-in wells.			
2. By May 1, 2009, the Action Plan is to be submitted for the approval of the DOG&	M.		
2. By May 1, 2009, the Action Plan is to be submitted for the approval of the Booking			
NAME (PLEASE PRINT) Alvin R. (AI) Ariian TITLE Landman - Reg	ulatory Specialist		
3/30/2009			
SIGNATURE DATE 3/30/2009			

(This space for State use only)

RECEIVED APR 0 2 2009

FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING UTU-80571 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS N/A 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. N/A 8. WELL NAME and NUMBER: 1. TYPE OF WELL GAS WELL 🗹 OIL WELL OTHER Bonanza 9-24-42-27 9. API NUMBER: 2. NAME OF OPERATOR: 4304735923 Enduring Resources, LLC 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER: 3. ADDRESS OF OPERATOR: Wildcat CITY Denver 710 80202 (303) 350-5114 CO 475 17th Street, Suite 1500 4 LOCATION OF WELL COUNTY: Uintah FOOTAGES AT SURFACE: 1,830' FNL - 735' FEL STATE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 98 24E S UTAH CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 11. TYPE OF ACTION TYPE OF SUBMISSION REPERFORATE CURRENT FORMATION DEEPEN ACIDIZE NOTICE OF INTENT SIDETRACK TO REPAIR WELL FRACTURE TREAT ALTER CASING (Submit in Duplicate) TEMPORARILY ABANDON NEW CONSTRUCTION Approximate date work will start: CASING REPAIR TUBING REPAIR OPERATOR CHANGE CHANGE TO PREVIOUS PLANS PLUG AND ABANDON VENT OR FLARE CHANGE TUBING WATER DISPOSAL PLUG BACK SUBSEQUENT REPORT CHANGE WELL NAME (Submit Original Form Only) WATER SHUT-OFF PRODUCTION (START/RESUME) CHANGE WELL STATUS Date of work completion: ✓ other: Well Status Report COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE 5/1/2009 **RECOMPLETE - DIFFERENT FORMATION** CONVERT WELL TYPE 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. MONTHLY WELL STATUS REPORT: 1. THIS WELL IS CURRENTLY SHUT-IN, AND 2. IS SUBJECT TO AN ACTION PLAN SUBMITTED, ON OR BEFORE MAY 1, 2009 TO THE DOG&M. NAME (PLEASE PRINT) Alvin R. (AI) Arlian Landman - Regulatory Specialist

(This space for State use only)

SIGNATURE

RECEIVED MAY 0 4 2009

4/30/2009

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9	
		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571	
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deeper gged wells, or to drill horizontal laterals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 ,	Denver, CO, 80202 303	PHONE NUMBER: 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SENE Section: 27	P, RANGE, MERIDIAN: Township: 09.0S Range: 24.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	☐ ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
5/29/2009	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. 5-29-2009 Monthly Status Report Pursuant to an Action Plan submitted to DOG&M May-2009, this well shall continue to be shut-in while six other well Accepted by the are being plugged commencing June-2009. Utah Division of Oil, Gas and Mining FOR RECORD June 01, 2009 NAME (PLEASE PRINT)			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBER 303 350-5114	R TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 6/1/2009	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9	
		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571	
SUND	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen igged wells, or to drill horizontal laterals. l		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500,	Denver, CO, 80202 303	PHONE NUMBER: 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SENE Section: 27	P, RANGE, MERIDIAN: Township: 09.0S Range: 24.0E Meridian: :	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
6/30/2009	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
SPUD REPORT	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
_	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	☐ WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Monthly Status Report
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. 6-30-2009 Pursuant to an Action Plan submitted to and approved by the DOG&M in May-2009, this well shall continue to be shut-in while six other Accepted by the wells are being plugged commencing June-2009. Utah Division of Oil, Gas and Mining FOR RECORD ONLY			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBER 303 350-5114	TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 6/30/2009	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9	
		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571	
SUND	RY NOTICES AND REPORTS O	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen e gged wells, or to drill horizontal laterals. Use		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500,	Denver, CO, 80202 303 35	PHONE NUMBER: 50-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI	IP, RANGE, MERIDIAN: Township: 09.0S Range: 24.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	_ ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME
Approximate date work will start:	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
7/29/2009	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	☐ TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
·	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER: Monthly Status Report
12. DESCRIBE PROPOSED OR CO	 DMPLETED OPERATIONS. Clearly show all pertin	nent details including dates, depths, v	olumes, etc.
7-31-2009 Pursuant to an Action Plan submitted to and approved by the DOG&M in May-2009, this well shall continue to be shut-in until 2010. Accepted by the Pursuant to Action Plan six other shutin wells were plugged commencing Utah Division of June-2009. Oil, Gas and Mining			
			R RECAUGUST 03, 2019 LY
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBER 303 350-5114	TITLE Landman-Regulatory	
SIGNATURE	303 330 3114	DATE	
N/A		7/29/2009	

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

OWR N	O. 10	JU4-	UΙ
Expires:	July	31,	20
Serial No.			_

	NOTICES AND REPO		1 3 2010	UTU80571	
Do not use th abandoned we	is form for proposals to ll. Use form 3160-3 (AP	odrill or to re-enter an PD) for such proposals	N/I	6. If Indian, Allottee	or Tribe Name
SUBMIT IN TRI	PLICATE - Other instruc	ctions on reverse side.		7. If Unit or CA/Agre	eement, Name and/or No
1. Type of Well				8. Well Name and No	
Oil Well Gas Well Ot	her			BONANZA 9-24-	
2. Name of Operator Contact: AL ARLIAN ENDURING RESOURCES, LLC E-Mail: aarlian@enduringresources.com			9. API Well No. 43-047-35923		
3a. Address 475-17TH STREET, SUITE 1 DENVER, CO 80202		3b. Phone No. (include area code Ph: 303-350-5114 Fx: 303-573-0461	e)	10. Field and Pool, or UNDESIGNATI	Exploratory ED
4. Location of Well (Footage, Sec., 1	., R., M., or Survey Description	n)		11. County or Parish,	and State
Sec 27 T9S R24E SENE 183 40.00326 N Lat, 109.11365 V				UINTAH COUN	ITY, UT
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICATE NATURE OF	NOTICE, RE	EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION		ТҮРЕ О	F ACTION	-	-
Notice of Intent	☐ Acidize	Deepen	☐ Producti	ion (Start/Resume)	☐ Water Shut-Off
· -	Alter Casing	Fracture Treat	☐ Reclama		☐ Well Integrity
☐ Subsequent Report	Casing Repair	New Construction	☐ Recomp	lete	Other Change to Origina
Final Abandonment Notice	☐ Change Plans	Plug and Abandon	Tempora	arily Abandon	Change to Origina PD
	Convert to Injection	Plug Back	□ Water D	isposal	
Request for a two-year extens		MAR 1 4 2011 DIV. OF OIL, GAS & MINIT	ENG.	IAL FIELD OFFIC	9 2011
14. I hereby certify that the foregoing is	true and correct.		\$		
	For ENDURIN	98950 verified by the BLM Wel G RESOURCES, LLC, sent to	the Vernal	•	
Name (Printed/Typed) AL ARLIAI		r processing by ROBIN R. HAN Title REGUI	SEN on 12/14 ATORY SPE	"	
Signature (Electronic S	,	Date 12/13/2			
	THIS SPACE FO	OR FEDERAL OR STATE		· · · · · · · · · · · · · · · · · · ·	
Approved By		■	sistant Field s & Mineral		2/7/2011 Date 1
Conditions of approval, it any, are attached certify that the applicant holds legal or equ which would entitle the applicant to condu	d. Approval of this notice does itable title to those rights in the ct operations thereon.	not warrant or		ELD OFFICE	
Title 18 U.S.C. Section 1001 and Title 43	U.S.C. Section 1212, make it a	crime for any person knowingly and	d willfully to ma	ke to any denartment or	r agency of the United

citious or fraudulent statements or representations as to any matter within its jurisdiction.

CONDITIONS OF APPROVAL

Enduring Resources, LLC

Notice of Intent APD Extension

Lease:

UTU-80571

Well:

Bonanza 9-24-42-27

Location:

SENE Sec 27-T9S-R24E

An extension for the referenced APD is granted with the following conditions:

1. The extension and APD shall expire on 7/18/11 due to the expiration of the overlying NEPA document.

2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Carey Doyle of this office at (435) 781-3406

Sundry Number: 15497 API Well Number: 43047359230000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571		
SUNDI	RY NOTICES AND REPORTS	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	sals to drill new wells, significantly deepe ugged wells, or to drill horizontal laterals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27	
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000	
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500,		HONE NUMBER: 3 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	IP, RANGE, MERIDIAN: Township: 09.0S Range: 24.0E Meridian	: S	STATE: UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPORT	, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
Well is currently approved by the DC	□ ACIDIZE □ CHANGE TO PREVIOUS PLANS □ CHANGE WELL STATUS □ DEEPEN □ OPERATOR CHANGE □ PRODUCTION START OR RESUME □ REPERFORATE CURRENT FORMATION □ TUBING REPAIR □ WATER SHUTOFF □ WILDCAT WELL DETERMINATION DMPLETED OPERATIONS. Clearly show all p shut-in. Pursuant to an Action OG&M in May-2009, this well the wells on the Action Plan Wells are to be plugged ea	on Plan submitted to and and others shall continue to are plugged. Six or Seven on the continue to the plugged. Six or Seven of the continue to the plugged.	0	
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBE			
SIGNATURE N/A	303 350-5114	Landman-Regulatory DATE 6/2/2011		
· -, · ·		u 0, -, -011		

Sundry Number: 16450 API Well Number: 43047359230000

STATE OF UTAH DEPARTMENT OF NOTICE SOURCES DIVISION OF OIL, GAS, AND MINING SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly despen existing wells below current Dolll from fine purposals to drill new wells, significantly despen existing wells below current Doll from fine purposals to drill new wells, significantly despen existing wells below current Doll from fine purposals to drill new wells, significantly despen existing wells below current Doll from fine purposals to drill new wells, significantly despen existing wells below current Doll from fine purposals to drill new wells, significantly despen existing wells below current Doll for the purposals to drill new wells, significantly despen existing wells below current Doll for the purposals to drill new wells, significantly despen existing wells below current Doll for the purposals to drill new wells, significantly despen existing wells below current Doll for the purposals to drill new wells, significantly despen existing wells below current Doll for the purposal to the purpos				
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to did in wells, significantly despen existing wells, both of the form for proposals to did in which the form of the such proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the form of the proposals to did in which the proposals the proposals that the which the proposals the proposals that the which the proposals that the proposals that the proposals that the pr		STATE OF UTAH		FORM 9
Do not use this form for proposals to drill now wells, significantly deepen existing wells below current tottom-hale depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL from for salph proposals. 1. TYPE OF WELL 2. NAME OF OPERATOR: 1. TYPE OF MELL 3. APPL NUMBER: 4. LOCATION OF WELL 5. APPL NUMBER: 5. APPL NUMBER: 5. APPL NUMBER: 6. WELL NAME and NUMBER: 9. APPL NUMBER:				
DOTOLIN-DOS PURE PURE SUMMERS AND TO A CHARGE VERNITO PURE SUMMERS PURE PURE SUMMERS AND A PROPOSED OR COMPETED OPERATOR. 1. TYPE OF WELL CASE WEI 2. NAME OF OPERATOR. PHONE NUMBER: 4. JOACHTON OF WELL 275 TITIS STORES, SUITE 1500, Deriver, CO, 80202 303 339-3114 Ext COUNTY: 1. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION ACCOUNTY: STATE: UITH CHARGE OF PREVIOUS PLANS CHANGE TO PREVIOUS PLANS CHANGE PLANS CHANGE TO PREVIOUS PLANS CHANGE PROPOSED OR COMPLETED OPERATORS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in. Pursuant to an Action Plan are plugged. Six or Seven Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY NAME (PLEASE PRINT) AVID ACTION PHONE NUMBER: BOMANDA PLANS BOMANDA PLANS BOMANDA PLANS BOMANDA PLANS BOMANDA PLANS CHANGE TO PREVIOUS PLANS	SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Cas Well 2. NAME OF DEFATOR: Enduring Resources, LLC 3. ADDRESS OF OPERATOR: Enduring Resources, LLC 3. ADDRESS OF OPERATOR: Enduring Resources, LLC 3. ADDRESS OF OPERATOR: Enduring Resources, LLC 4. 30473592320000 5. APT MURIESE 4. 30473592320000 5. APT MURIESE 4. 30473592320000 5. ADDRESS OF OPERATOR: ENDURSS OF OPERATOR: UINTAI 4. LOCATION OF WELL OPTOTACES AT SWIP ACCES OPTOTACES OPTOTA	bottom-hole depth, reenter plu	ugged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME:
ADDRESS OF OPERATOR: PHONE NUMBER: STATE STATES. PHONE NUMBER: STATES AND POOL OF WILLCAT: SOMAZA A LOCATION OF WELL FORWARD, RANGE, MERIDIAN: QUT/QIT: SENE Section; TOWNSHIP, RANGE, MERIDIAN: QUT/QIT: SENE Section; TOWNSHIP, RANGE, MERIDIAN: QUT/QIT: SENE Section; TOWNSHIP, BANGE, MERIDIAN: QUT/QIT: SENE Section; TOWNSHIP; OBJOR Sange: 24.0E Meridian: S 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION NOTICE OF INTENT Approximation ACIDIZE ATTER CASING PAPAR CHANGE WILL NAME CHANGE WILL NAME CHANGE WILL STRUS PAPAR CHANGE WILL STRUS PAPAR CHANGE WILL STRUS CHANG				
475 17th Street, Suite 1500 , Denver, CO, 80202 303 350-5114 Ext BONANZA 476 17th Street, Suite 1500 , Denver, CO, 80202 103 350-5114 Ext BONANZA 476 17th Street, Suite 1500 , Denver, CO, 80202 103 350-5114 Ext BONANZA 476 17th Street, Suite 1500 , Denver, CO, 80202 103 350-5114 Ext BONANZA 476 17th Street, Suite 1500 , Denver, CO, 80202 103 350-5114 Ext BONANZA 476 17th Street, Suite 1500 , Denver, CO, 80202 103 350-5114 Ext BONANZA 477 17th Street, Suite 1500 , Denver, CO, 80202 103 350-5114 Ext BONANZA 476 17th Street, Suite 1500 , Denver, CO, 80202 103 350-5114 Ext Exposure and Suiter S				
1330 F.N. 1273 F.E.L. 1330 F.N. 1273 F.E.L. 1313 F.R. 1273 F.E.L. 1314 H. TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION TO CHANGE REPAIR THE ACTION TYPE OF ACTION TYPE OF ACTION TO CHANGE REPAIR THE ACTION TYPE OF ACTION TO CHANGE WELL NAME TO CHANGE WELL NAME TO CHANGE WELL NAME TYPE OF ACTION TO CHANGE WELL NAME TO CHANGE WELL NAM				
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION TYPE OF ACTION TYPE OF ACTION ACIDIZE ALTER CASING ACIDIZE ALTER CASING CHANGE TUBING CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS CHANGE WELL	FOOTAGES AT SURFACE:			
TYPE OF SUBMISSION ACIDIZE			5	
ACIDIZE	11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
CHANGE TO PREVIOUS PLANS	TYPE OF SUBMISSION		TYPE OF ACTION	
Approximate date work will start: 7/6/2011 CHANGE TURING		☐ ACIDIZE	☐ ALTER CASING	CASING REPAIR
SUBSEQUENT REPORT Date of Work Completion: SUBJURT REPORT Date of Work Completion: DeEPEN	Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME
Date of Work Completion: OPERATOR CHANGE	//6/2011	☐ CHANGE WELL STATUS	\square commingle producing formations	☐ CONVERT WELL TYPE
OPERATOR CHANGE PLUG AND ASANOON PLUG BACK PRODUCTION START OR RESUME RECLAMATION OF WELL SITE RECOMPLETE DIFFERENT FORMATION		DEEPEN	FRACTURE TREAT	□ NEW CONSTRUCTION
SPUD REPORT Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL. TEMPORARY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL APP EXTENSION APP EXTENSIO	Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
Date of Spud: REPERFORATE CURRENT FORMATION DRILLING REPORT Report Date: WATER SHUTOFF WILDCAT WELL DETERMINATION DETERMI		☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
□ DRILLING REPORT Report Date: □ WILDCAT WELL DETERMINATION ✓ OTHER: Monthly Status Report □ SITA STATUS EXTENSION □ APD EXTENSION □ WILDCAT WELL DETERMINATION ✓ OTHER: Monthly Status Report 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in. Pursuant to an Action Plan submitted to and approved by the DOG&M in May-2009, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Accepted by the Wells are to be plugged each year. Utah Division of Oil, Gas and Mining FOR RECORD ONLY NAME (PLEASE PRINT) Alvin Arlian 303 350-5114 PHONE NUMBER Landman-Regulatory SIGNATURE DATE		☐ REPERFORATE CURRENT FORMATION	☐ SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in. Pursuant to an Action Plan submitted to and approved by the DOG&M in May-2009, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Accepted by the Wells are to be plugged each year. Utah Division of Oil, Gas and Mining FOR RECORD ONLY NAME (PLEASE PRINT) Alvin Arlian 303 350-5114 TITLE Landman-Regulatory SIGNATURE DATE		☐ TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL
NAME (PLEASE PRINT) PHONE NUMBER AUGUSTATION AUGU		☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	☐ APD EXTENSION
Well is currently shut-in. Pursuant to an Action Plan submitted to and approved by the DOG&M in May-2009, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Accepted by the Wells are to be plugged each year. Utah Division of Oil, Gas and Mining FOR RECORD ONLY NAME (PLEASE PRINT) Alvin Arlian 303 350-5114 PHONE NUMBER Landman-Regulatory SIGNATURE DATE	керогт Date:	☐ WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Monthly Status Report
Alvin Arlian 303 350-5114 Landman-Regulatory SIGNATURE DATE	Well is currently shut-in. Pursuant to an Action Plan submitted to and approved by the DOG&M in May-2009, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Accepted by the Wells are to be plugged each year. Utah Division of Oil, Gas and Mining			

Sundry Number: 17069 Approval of this: 43047359230000

Action is Necessary

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9
DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571	
SUNDF	RY NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepen exi Igged wells, or to drill horizontal laterals. Use	isting wells below current APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 ,		NUMBER: -5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI	IP, RANGE, MERIDIAN: Township: 09.0S Range: 24.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME
8/1/2011	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
SUBSEQUENT REPORT	☐ DEEPEN ☐	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	☐ OPERATOR CHANGE ☐	PLUG AND ABANDON	☐ PLUG BACK
	☐ PRODUCTION START OR RESUME ☐	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION ☐	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR ☐	VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT Report Date:	☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	APD EXTENSION
Report Date.	☐ WILDCAT WELL DETERMINATION ✓	OTHER	OTHER: Aug-2011 Status Repor
Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M in May-2009, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Wells are to be plugged each year. Date: 08/16/2011 By:			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBER 303 350-5114	TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 7/29/2011	

Sundry Number: 18003 API Well Number: 43047359230000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571	
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen ıgged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500,		NE NUMBER: 150-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI	I P, RANGE, MERIDIAN: Township: 09.0S Range: 24.0E Meridian: S	3	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	☐ ALTER CASING	CASING REPAIR
Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME
9/1/2011	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
SUBSEQUENT REPORT	☐ DEEPEN	☐ FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION	☐ SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Sept-2011 Well Status
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all per	tinent details including dates, depths, v	volumes, etc.
Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M in May-2009, this well and others shall continue to be shut-in until all the well&ccepted by the on the Action Plan are plugged. Six or Seven Wells are to be plugged each yellah Division of Oil, Gas and Mining FOR RECORD ONLY NAME (PLEASE PRINT) PHONE NUMBER TITLE			
Alvin Arlian	303 350-5114	Landman-Regulatory	
SIGNATURE N/A		DATE 8/31/2011	

United States Department of the Interior



BUREAU OF LAND MANAGEMENT

Green River District-Vernal Field Office 170 South 500 East Vernal, UT 84078 (435) 781-4400 Fax: (435) 781-4410 http://www.blm.gov/ut/st/en/fo/vernal.html



APR 2 0 2012

IN REPLY REFER TO: 3160 (UTG011)

Alvin R. Arlian Enduring Resources, LLC 511-16th Street, Suite 700 Denver, CO 80202 43 DAT 35923

Re:

Notice of Expiration

Well No. Bonanza 9-24-42-27 SENE, Sec. 27, T9S, R24E Uintah County, Utah Lease No. UTU-80571

Dear Mr. Arlian:

The Application for Permit to Drill (APD) for the above-referenced well was approved on January 21, 2009. A two (2) year extension request of the original APD was received on December 13, 2010. On February 7, 2011 the request was reviewed and the extension request was approved to July 18, 2011, consistent with the expiration of the 390 CX used to process the APD. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact Cindy Severson at (435) 781-4455.

Sincerely,

Jerry Kenczka

RECEIVED

MAY 0 2 2012

DIV OF OIL, GAS, & MINING

Assistant Field Manager
Lands & Mineral Resources

cc: UDOGM

Sundry Number: 29360 API Well Number: 43047359230000

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9	
		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571	
SUNDR	RY NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly dee reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700		HONE NUMBER: 3 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridian:	: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT Approximate date work will start: 8/29/2012	☐ ACIDIZE ☐ ☐ CHANGE TO PREVIOUS PLANS ☐	ALTER CASING CHANGE TUBING	CASING REPAIR CHANGE WELL NAME
SUBSEQUENT REPORT Date of Work Completion:	CHANGE WELL STATUS DEEPEN OPERATOR CHANGE	COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT PLUG AND ABANDON	☐ CONVERT WELL TYPE ☐ NEW CONSTRUCTION ☐ PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION	RECLAMATION OF WELL SITE SIDETRACK TO REPAIR WELL	RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON
DRILLING REPORT Report Date:	□ TUBING REPAIR □ WATER SHUTOFF □ WILDCAT WELL DETERMINATION	VENT OR FLARE SI TA STATUS EXTENSION OTHER	WATER DISPOSAL APD EXTENSION OTHER: Well Status Report
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Wells are being plugged each year. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 30, 2012			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBER 303 350-5114	TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 8/29/2012	

Sundry Number: 30912 API Well Number: 43047359230000

			FORM 9
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES			
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizor n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700	, Denver, CO, 80202	PHONE NUMBER: 303 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridi	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
			WATER DISPOSAL
✓ DRILLING REPORT	TUBING REPAIR		
Report Date: 10/9/2012	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
10/0/2012	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Wells are being plugged each year. October 18, 2012 NAME (PLEASE PRINT) PHONE NUMBER TITLE			
Alvin Arlian	PHONE NUMB! 303 350-5114	ER TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 10/9/2012	

Sundry Number: 33035 API Well Number: 43047359230000

			FORM 9
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES			
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700		PHONE NUMBER: 803 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridia	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME		
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
Report Date: 12/12/2012	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
12/12/2012	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Wells are being plugged each year. PHONE NUMBER TITLE			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBE 303 350-5114	R TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 12/12/2012	

Sundry Number: 35754 API Well Number: 43047359230000

			FORM 9
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES			
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700		PHONE NUMBER: 03 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridia	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATI	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE [ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN [FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	l		WATER DISPOSAL
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	
Report Date: 3/21/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
0,21,2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Wells are being plugged each year. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 21, 2013			
Alvin Arlian	PHONE NUMBE 303 350-5114	ER TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 3/21/2013	

Sundry Number: 38156 API Well Number: 43047359230000

	FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDR	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizor n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700	, Denver, CO, 80202	PHONE NUMBER: 303 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridi	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	└─ VENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 5/22/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
0,22,20.0	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Wells are being plugged each year. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 22, 2013			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBI 303 350-5114	TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 5/22/2013	
L + *// *		1 0,, -0 10	

Sundry Number: 40425 API Well Number: 43047359230000

	FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDR	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly or reenter plugged wells, or to drill horizor n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700		PHONE NUMBER: 803 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridia	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date: 7/24/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
1,21,2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Wells are being plugged each year. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 25, 2013			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBE 303 350-5114	TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 7/24/2013	
L + +/ * *		.,,	

RECEIVED: Jul. 24, 2013

Sundry Number: 42623 API Well Number: 43047359230000

			FORM 9
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES			
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly or reenter plugged wells, or to drill horizor n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700	, Denver, CO, 80202	PHONE NUMBER: 303 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridia	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	New construction
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		WATER DISPOSAL
Report Date: 9/17/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
9/1//2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Wells are being plugged each year. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 17, 2013			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBI 303 350-5114	ER TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 9/17/2013	

Sundry Number: 44677 API Well Number: 43047359230000

			FORM 9
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES			
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	pposals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700		PHONE NUMBER: 03 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridia	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	New construction
Date of Work Completion.	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
11/11/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Wells are being plugged each year. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 12, 2013			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBE 303 350-5114	R TITLE Landman-Regulatory	
SIGNATURE	000 000 0117	DATE	
N/A		11/11/2013	

Sundry Number: 46560 API Well Number: 43047359230000

	FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700	, Denver, CO, 80202	PHONE NUMBER: 303 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meri	idian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL
Report Date: 1/6/2014	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
1,0,20	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or Seven Wells are being plugged each year. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 07, 2014			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUM 303 350-5114	BER TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 1/6/2014	

Sundry Number: 48621 API Well Number: 43047359230000

			FORM 9
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES			
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDR	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizor n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700	, Denver, CO, 80202	PHONE NUMBER: 303 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridi	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
3/10/2014			OTHER.
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or seven wells are being plugged each year. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 10, 2014			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBI 303 350-5114	TITLE Landman-Regulatory	
SIGNATURE	303 330-3114	DATE	
N/A		3/10/2014	

Sundry Number: 52279 API Well Number: 43047359230000

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES			FORM 9
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly dee reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700		DNE NUMBER: 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:		FRACTURE TREAT	New construction
Date of Work Completion:			
		PLUG AND ABANDON	☐ PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
6/18/2014	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or seven wells are being plugged each year. **FORT RESCARD ONLY**			
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBER 303 350-5114	TITLE Landman-Regulatory	
SIGNATURE		DATE	
N/A		6/18/2014	

Sundry Number: 64669 API Well Number: 43047359230000

	FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDR	RY NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-24-42-27
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047359230000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700		PHONE NUMBER: 03 350-5114 Ext	9. FIELD and POOL or WILDCAT: BONANZA
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1830 FNL 0735 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 24.0E Meridia	n: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
		ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	<u>-</u> -	7	
	L REPERFORATE CURRENT FORMATION L	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR L	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐
Report Date: 7/7/2015	WATER SHUTOFF L	SI TA STATUS EXTENSION	APD EXTENSION
17772010	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Well is currently shut-in (Only 40' of conductor pipe was drilled and set). Pursuant to an Action Plan submitted to and approved by the DOG&M, this well and others shall continue to be shut-in until all the wells on the Action Plan are plugged. Six or seven wells are being plugged each year. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 07, 2015			
NAME (PLEASE PRINT) Travis Whitham	PHONE NUMBE 303 350-5716	R TITLE Landman	
SIGNATURE	300 300-37 10	DATE	
N/A		7/7/2015	

RECEIVED: Jul. 07, 2015